Author Index

Aasen, I. M.: *See* Østgaard, K., 756
Aasen, I. M.: *See* Østgaard, K., 326
Aasmul-Olson, S.: *See* Dey, E. S., 1042
Agarwal, P. K.: *See* Pandey, K., 887
Agud, I.: *See* Montero, S., 239
Ahring, B. K.: *See* Schmidt, J. E., 304
Akhtar, M. W.: *See* Sami, A. J., 586
Alfani, F.: *See* Cantarella, L., 861
Antier, P., Minjares, A., Roussos, S., Raimbault, M., and Viniegra-Gonzalez, G.: Pectinase-hyperproducing mutants of *Aspergillus niger* C28B25 for solid-state fermentation of coffee pulp, 254
Aracil, J.: *See* Garcia, T., 607

Babu, K. R., and Satyanarayana, T.: Extracellular calcium-inhibited alpha-amylase of *Bacillus coagulans* B49, 1066
Baggett, N., Case, M. A., Darby, P. R., and Gray, C. J.: Action of almond beta-D-glucosidase on fluorogenic substrates derived from 4-substituted 7-hydroxycoumarins, 742
Baines, B. S.: *See* Mahmoudian, M., 749
Báleš V.: *See* Gemeiner, P., 551
Banat, I. M.: *See* Nigam, P., 652
Banerjee, A.: *See* Patel, R. N., 1014
Banerjee U. C.: Transformation of Rifamycin B with growing and resting cells of *Curvularia Lunata*, 1037
Bano, Z., Shashirekha, M. N., and Rajarathnam, S.: Improvement of the bioconversion and biotransformation efficiencies of the oyster mushroom (*Pleurotus sajor-caju*) by supplementation of its rice straw substrate with oil seed cakes, 985
Barker, P.: *See* Romaniec, M. P. M., 393
Barnett S. M.: *See* Escobar, 1009
Bastida, A.: *See* Fernandez-Lafuente, R., 546
Beeftink, H. H.: *See* Van Sonsbeek, H. M., 722
Behere, A., Satyanarayan, V., and Padwal-Desai, S. R.: Separation and limited characterization of three polygalacturonases of *Aspergillus niger*, 158
Bender, S.: *See* Romaguera, A., 412
Benito, A., Valero, F., Lafuente, J., Vidal, M., Cairo, J., Solà, C., Villaverde, A.: Uses of β-galactosidase tag in on-line monitoring production of fusion proteins and gene expression in *Escherichia coli*, 66
Bhat, N., Naina, N. S., Gowda, L. R., and Bhat, S. G.: Detergent permeabilized yeast cells as the source of intracellular enzymes for estimation of biomolecules, 796
Bhat, S. G.: *See* Bhat, N., 796
Bhattacharya, S., Gupta, V. S., Prabhune, A. A., SivaRaman, H., Debnath, M., and Ranjekar P. K.: Studies of operational variables in batch mode for genetically engineered *Escherichia coli* cells containing penicillin acylase, 1070
Bickerstaff, G. F.: *See* He, L., 13
Biebl, H.: *See* Zeng, A.-P., 770
Biton, J.: *See* López-Munguía, A., 77
Blanch, H. W.: *See* Creagh, A. L., 383
Blanco, A.: *See* Montero, S., 239
Blinkovsky, A. M., and Markaryan, A. N.: Synthesis of Beta-Lactam antibiotics containing alpha-aminophenylacetyl group in the acyl moiety catalyzed by D-(-)-Phenylglycyl-beta-lactamide amidohydrolase, 965
Blum, L. J.: Chemiluminescent flow injection analysis of glucose in drinks with a bienzyme fiberoptic biosensor, 407
Bose, A. K.: *See* Negi, M., 483
Bosley, J. A.: *See* Griffiths, M. S., 109
Boyaval, P., Seta, J., and Gavach, C.: Concentrated propionic acid production by electrodialysis, 683
Breuil, C.: *See* Ramos, L. P., 19
Brix, T.: *See* Chartrain, M., 575
Brzozowski, D.: *See* Patel, R. N., 1014
Bucke, C.: *See* Mussenden, P., 2
Buitelaar, R. M., Leenen, E. J. T. M., Geurtsen, G., de Groot, Æ, and Tramper J.: The effects of the addition of XAD-7 and of elicitor treatment on growth, thiophene production and excretion by hairy roots of *Tagetes patula*, 670
Bunch, A. W.: *See* Fernandez-Salguero, P., 100
Burton, K. S., Love, M. E., and Smith, J. F.: Biochemical changes associated with mushroom quality in *Agaricus spp.*, 736
Bushell, M. E.: *See* McDermott, J. F., 657
Buswell, J. A.: *See* He, L., 13

Cabezudo, D.: *See* Fernandez-Garcia, E., 519
Cairo, J.: *See* Benito, A., 66
Cano, J.: *See* Lozano, P., 868
Canovas, M.: *See* Iborra, J. L., 780
Cantarella, L., Alfani, F., Cantarella, M.: Stability and activity of immobilized hydrolytic enzymes in two-liquid-phase systems: acid phosphatase, β-glucosidase, and β-fructofuranosidase entrapped in poly(2-hydroxyethyl methacrylate) matrices, 861
Cantarella, M.: *See* Cantarella, L., 861
Cao, W., Mahadevan, B., Crawford, D. L. and Crawford, R. L.: Characterization of an extracellular azo dye-oxidizing peroxidase from *Flavobacterium sp.* ATCC 39723, 810
Case, M. A.: *See* Baggett, N., 742
Castellar, M. R.: *See* Iborra, J. L., 780
Cattaneo, M. V., and Luong, J. H. T.: On-line chemiluminescence assay using FIA and fiber optics for urinary blood glucose, 424
Chakrabarty, S. L.: *See* Sadhukhan, R., 801
Chand, N.: *See* Suvarnalatha, G., 710
Chandra, T. S.: *See* Lakshmi, B. R., 699
Chang, H. N.: *See* Lee, C. Y., 979
Chaplin, M.: *See* Shukla, H., 297
Charton, E. and Macrae, A. R.: Specificities of immobilized *Geotrichum candidum* CMICC 335426 lipases A and B in hydrolysis and ester synthesis reactions in organic solvents, 489
Chartrain, M., Katz, L., Marcin, C., Thien, M., Smith, S., Fisher, E., Goklen, K., Salmon, P., Brix, T., Price K., and Greasham, R.: Purification and characterization of a novel bioconverting lipase from *Pseudomonas aeruginosa* MB 5001, 575
Chatterjee, S., Russell, A. J.: Kinetic analysis of mechanism for subtilisin in essentially anhydrous organic solvents, 1022
Chaudhuri, B. K., and Sahai V.: Production of cellulase enzyme from lactose in batch and continuous cultures by a partially constitutive strain of *Trichoderma reesei*, 513
Cheetham, P. S. J., and Wootton, A. N.: Bioconversion of D-galactose into D-tagatose, 105
Choi, S. K.: *See* Lee, C. Y., 979
Christov, L. P., and Prior B. A: Esterases of xylan-degrading microorganisms: Production, properties, and significance, 460
Chrzanowska, J., Kolaczkowska, M., and Polanowski, A.: Production of exocellular proteolytic enzymes by various species of *Penicillium*, 140
Chulalaksananukul, W., Condoret, J. S., and Combes D.: Geranyl acetate synthesis by lipase-catalyzed transesterification in supercritical carbon dioxide, 691
Clark, D. S.: *See* Spitznagel, T. M., 916
Combes, D.: *See* Chulalaksananukul, W., 691
Condoret, J.-S.: *See* Chulalaksananukul, W., 691
Coughlan, M. P.: *See* Filho, E. X. F., 535
Couturier, R.: *See* Michalon, P., 215
Crawford, D. L.: *See* Cao, W., 810
Crawford, R. L.: *See* Hu, Z. C., 567
Crawford, R. L.: *See* Cao, W., 810
Creagh, A. L., Prausnitz, J. M., and Blanch, H. W.: Structural and catalytic properties of enzymes in reverse micelles, 383

Danielsson, B.: *See* Gemeiner, P., 50
Darby, P. R.: *See* Baggett, N., 742
Darnet, S., Thomas, D., and Legoy, M.-D.: Use of enzymatic oxygen scavengers to prevent lactate dehydrogenase inactivation by oxygen radicals, 8
Dart, R. K.: *See* Kerry, S., 818
Das, A.: *See* Ghosh, M., 703
Daugulis, A. J.: *See* MacNaughtan, M. D., 114
Dawson, M. J.: *See* Mahmoudian, 749
de Renobales, M.: *See* Montero, S., 239
de Alteriis, E.: *See* Parascandola, P., 42
de Groot, Æ.: *See* Buitelaar, R. M., 670
Debnath, M.: *See* Bhattacharya, 1070

© 1993 Butterworth–Heinemann

Author Index

Aasen, I. M.: *See* Østgaard, K., 756
Aasen, I. M.: *See* Østgaard, K., 326
Aasmul-Olson, S.: *See* Dey, E. S., 1042
Agarwal, P. K.: *See* Pandey, K., 887
Agud, I.: *See* Montero, S., 239
Ahring, B. K.: *See* Schmidt, J. E., 304
Akhtar, M. W.: *See* Sami, A. J., 586
Alfani, F.: *See* Cantarella, L., 861
Antier, P., Minjares, A., Roussos, S., Raimbault, M., and Viniegra-Gonzalez, G.: Pectinase-hyperproducing mutants of *Aspergillus niger* C28B25 for solid-state fermentation of coffee pulp, 254
Aracil, J.: *See* Garcia, T., 607

Babu, K. R., and Satyanarayana, T.: Extracellular calcium-inhibited alpha-amylase of *Bacillus coagulans* B49, 1066
Baggett, N., Case, M. A., Darby, P. R., and Gray, C. J.: Action of almond beta-D-glucosidase on fluorogenic substrates derived from 4-substituted 7-hydroxycoumarins, 742
Baines, B. S.: *See* Mahmoudian, M., 749
Báleš V.: *See* Gemeiner, P., 551
Banat, I. M.: *See* Nigam, P., 652
Banerjee, A.: *See* Patel, R. N., 1014
Banerjee U. C.: Transformation of Rifamycin B with growing and resting cells of *Curvularia Lunata*, 1037
Bano, Z., Shashirekha, M. N., and Rajarathnam, S.: Improvement of the bioconversion and biotransformation efficiencies of the oyster mushroom (*Pleurotus sajor-caju*) by supplementation of its rice straw substrate with oil seed cakes, 985
Barker, P.: *See* Romaniec, M. P. M., 393
Barnett S. M.: *See* Escobar, 1009
Bastida, A.: *See* Fernandez-Lafuente, R., 546
Beeftink, H. H.: *See* Van Sonsbeek, H. M., 722
Behere, A., Satyanarayan, V., and Padwal-Desai, S. R.: Separation and limited characterization of three polygalacturonases of *Aspergillus niger*, 158
Bender, S.: *See* Romaguera, A., 412
Benito, A., Valero, F., Lafuente, J., Vidal, M., Cairo, J., Solà, C., Villaverde, A.: Uses of β-galactosidase tag in on-line monitoring production of fusion proteins and gene expression in *Escherichia coli*, 66
Bhat, N., Naina, N. S., Gowda, L. R., and Bhat, S. G.: Detergent permeabilized yeast cells as the source of intracellular enzymes for estimation of biomolecules, 796
Bhat, S. G.: *See* Bhat, N., 796
Bhattacharya, S., Gupta, V. S., Prabhune, A. A., SivaRaman, H., Debnath, M., and Ranjekar P. K.: Studies of operational variables in batch mode for genetically engineered *Escherichia coli* cells containing penicillin acylase, 1070
Bickerstaff, G. F.: *See* He, L., 13
Biebl, H.: *See* Zeng, A.-P., 770
Biton, J.: *See* López-Munguía, A., 77
Blanch, H. W.: *See* Creagh, A. L., 383
Blanco, A.: *See* Montero, S., 239
Blinkovsky, A. M., and Markaryan, A. N.: Synthesis of Beta-Lactam antibiotics containing alpha-aminophenylacetyl group in the acyl moiety catalyzed by D-(-)-Phenylglycyl-beta-lactamide amidohydrolase, 965
Blum, L. J.: Chemiluminescent flow injection analysis of glucose in drinks with a bienzyme fiberoptic biosensor, 407
Bose, A. K.: *See* Negi, M., 483
Bosley, J. A.: *See* Griffiths, M. S., 109
Boyaval, P., Seta, J., and Gavach, C.: Concentrated propionic acid production by electrodialysis, 683
Breuil, C.: *See* Ramos, L. P., 19
Brix, T.: *See* Chartrain, M., 575
Brzozowski, D.: *See* Patel, R. N., 1014
Bucke, C.: *See* Mussenden, P., 2
Buitelaar, R. M., Leenen, E. J. T. M., Geurtsen, G., de Groot, Æ, and Tramper J.: The effects of the addition of XAD-7 and of elicitor treatment on growth, thiophene production and excretion by hairy roots of *Tagetes patula*, 670
Bunch, A. W.: *See* Fernandez-Salguero, P., 100
Burton, K. S., Love, M. E., and Smith, J. F.: Biochemical changes associated with mushroom quality in *Agaricus spp.*, 736
Bushell, M. E.: *See* McDermott, J. F., 657
Buswell, J. A.: *See* He, L., 13

Cabezudo, D.: *See* Fernandez-Garcia, E., 519
Cairo, J.: *See* Benito, A., 66
Cano, J.: *See* Lozano, P., 868
Canovas, M.: *See* Iborra, J. L., 780
Cantarella, L., Alfani, F., Cantarella, M.: Stability and activity of immobilized hydrolytic enzymes in two-liquid-phase systems: acid phosphatase, β-glucosidase, and β-fructofuranosidase entrapped in poly(2-hydroxyethyl methacrylate) matrices, 861
Cantarella, M.: *See* Cantarella, L., 861
Cao, W., Mahadevan, B., Crawford, D. L. and Crawford, R. L.: Characterization of an extracellular azo dye-oxidizing peroxidase from *Flavobacterium sp.* ATCC 39723, 810
Case, M. A.: *See* Baggett, N., 742
Castellar, M. R.: *See* Iborra, J. L., 780
Cattaneo, M. V., and Luong, J. H. T.: On-line chemiluminescence assay using FIA and fiber optics for urinary blood glucose, 424
Chakrabarty, S. L.: *See* Sadhukhan, R., 801
Chand, N.: *See* Suvarnalatha, G., 710
Chandra, T. S.: *See* Lakshmi, B. R., 699
Chang, H. N.: *See* Lee, C. Y., 979
Chaplin, M.: *See* Shukla, H., 297
Charton, E. and Macrae, A. R.: Specificities of immobilized *Geotrichum candidum* CMICC 335426 lipases A and B in hydrolysis and ester synthesis reactions in organic solvents, 489
Chartrain, M., Katz, L., Marcin, C., Thien, M., Smith, S., Fisher, E., Goklen, K., Salmon, P., Brix, T., Price K., and Greasham, R.: Purification and characterization of a novel bioconverting lipase from *Pseudomonas aeruginosa* MB 5001, 575
Chatterjee, S., Russell, A. J.: Kinetic analysis of mechanism for subtilisin in essentially anhydrous organic solvents, 1022
Chaudhuri, B. K., and Sahai V.: Production of cellulase enzyme from lactose in batch and continuous cultures by a partially constitutive strain of *Trichoderma reesei*, 513
Cheetham, P. S. J., and Wootton, A. N.: Bioconversion of D-galactose into D-tagatose, 105
Choi, S. K.: *See* Lee, C. Y., 979
Christov, L. P., and Prior B. A: Esterases of xylan-degrading microorganisms: Production, properties, and significance, 460
Chrzanowska, J., Kolaczkowska, M., and Polanowski, A.: Production of exocellular proteolytic enzymes by various species of *Penicillium*, 140
Chulalaksananukul, W., Condoret, J. S., and Combes D.: Geranyl acetate synthesis by lipase-catalyzed transesterification in supercritical carbon dioxide, 691
Clark, D. S.: *See* Spitznagel, T. M., 916
Combes, D.: *See* Chulalaksananukul, W., 691
Condoret, J.-S.: *See* Chulalaksananukul, W., 691
Coughlan, M. P.: *See* Filho, E. X. F., 535
Couturier, R.: *See* Michalon, P., 215
Crawford, D. L.: *See* Cao, W., 810
Crawford, R. L.: *See* Hu, Z. C., 567
Crawford, R. L.: *See* Cao, W., 810
Creagh, A. L., Prausnitz, J. M., and Blanch, H. W.: Structural and catalytic properties of enzymes in reverse micelles, 383

Danielsson, B.: *See* Gemeiner, P., 50
Darby, P. R.: *See* Baggett, N., 742
Darnet, S., Thomas, D., and Legoy, M.-D.: Use of enzymatic oxygen scavengers to prevent lactate dehydrogenase inactivation by oxygen radicals, 8
Dart, R. K.: *See* Kerry, S., 818
Das, A.: *See* Ghosh, M., 703
Daugulis, A. J.: *See* MacNaughtan, M. D., 114
Dawson, M. J.: *See* Mahmoudian, 749
de Renobales, M.: *See* Montero, S., 239
de Alteriis, E.: *See* Parascandola, P., 42
de Groot, Æ.: *See* Buitelaar, R. M., 670
Debnath, M.: *See* Bhattacharya, 1070

© 1993 Butterworth–Heinemann

Deckwer, W. D.: *See* Zeng, A.-P., 770
Demain, A. L.: *See* Paiva, N. L., 581
Demain, A. L.: *See* Romaniec, M. P. M., 393
Deshpande, V. V.: *See* Phadatare S. U., 72
Deshpande, V.: *See* Gaikwad, S., 155
Dey, E. S., and Aasmul-Olsen S.: A novel serine penicillocarboxypeptidase CPD-S3 from Pencillium janthinellum IBT 3991. Purification, characterization and uses in peptide synthesis and modification, 1042
Diekmann H.: *See* Romaguera, A., 412
Drake, C. S.: *See* Mahmoudian, M., 749
Dumont, J.: *See* Morin, A., 500
Dyrset, N.: *See* Ostgaard, K., 756

Ebara, K.: *See* Ushio, K., 222
Eriksson, K.-E. L., Habu, N., and Samejima M.: Recent advances in fungal cellobiose oxidoreductases, 1002
Escobar, J. and Barnett S. M.: Effect of agitation speed on the synthesis of mucor miehei acid protease, 1009

Faro, C. J.: *See* Gama, F. M., 57
Favre-Bonvin, G.: *See* Michalon, P., 215
Fedorak, P. M.: *See* Vazquez-Duhalt, R., 494
Fedorak, P. M.: *See* Vazquez-Duhalt, R., 936
Fedorak, P. M., Semple, K. M., Vazquez Duhalt, R., and Westlake D. W. S.: Chloroperoxidase-mediated modifications of petroporphyrins and asphaltenes, 429
Fernandez-Garcia, E., Olano, A., Cabezudo, D., Martin-Alvarez, P. J., Ramos, M.: Accelerated ripening of Manchego type cheese by added commercial enzyme preparation from *Aspergillus oryzae*, 519
Fernandez-Lafuente, R., Rosell, C. M., Rodriguez, V., Santana, C., Soler, G., Bastida, A., and Guisán, J. M.: Preparation of activated supports containing low pK amino groups. A new tool for protein immobilization via the carboxyl coupling method, 546
Fernandez-Salguero, P., Gutierrez-Merino, C., and Bunch, A. W.: Effect of immobilization on the activity of rat hepatic microsomal cytochrome P450 enzymes, 100
Ferraboschi, P.: *See* Santaniello, E., 367
Fick, M.: *See* Haddadin, J., 832
Filho, E. X. F., Puls, J., and Coughlan, M. P.: Physicochemical and catalytic properties of a low-molecular-weight endo-1,4-β-D-xylanase from *Myrothecium verrucaria*, 535
Fisher, E.: *See* Chartrain, M., 575
Ford, C.: *See* Suominen, I., 593
Forssell, P.: *See* Mustranta, A., 133
Fukuda, K.: *See* Shimura, K., 874

Gaikwad, S., Rao, M., and Deshpande, V.: Structure–function relationship of glucose/xylose isomerase from *Streptomyces:* Evidence for the occurrence of inactive dimer, 155
Galas, E.: *See* Tarabasz-Szymańska, L., 317
Galaev, I. Y., and Mattiasson, B.: Thermoreactive water-soluble polymers, nonionic surfactants, and hydrogels as reagents in biotechnology, 354
Gama, F. M., Faro, C. J., Teixeira, J. A., and Mota, M.: New methodology for the characterization of endoglucanase activity and its application on the *Trichoderma longibrachiatum* cellulolytic complex, 57
Garcia, T., Martinez, M., and Aracil, J.: Enzymatic synthesis of an analogue of jojoba oil: Optimization by stastical analysis, 607
Gatenby A.: *See* Kalbach, C. E., 730
Gauri: *See* Khanna, S., 990
Gavach, C.: *See* Boyaval, P., 683
Gemeiner, P., Štefuca, V., Welwardová, A., Michálková, E., Welward, L., Kurillová, L'., and Danielsson, B.: Direct determination of the cephalosporin transforming activity of immobilized cells with use of an enzyme thermistor. 1. Verification of the mathematical model, 50
Gemeiner, P., Štefuca, V., Báleš, V.: Biochemical engineering of biocatalysts immobilized on cellulosic materials, 551
Geurtsen, G.: *See* Buitelaar, R. M., 670
Ghosh, M., Das, A., Mishra, A. K., and Nanda, G.: *Aspergillus sydowii* MG 49 is a strong producer of thermostable xylanolytic enzymes, 703
Gilbert, E. J.: *Pseudomonas* lipases: Biochemical properties and molecular cloning, 634
Gill, I. S.: *See* Richards, A. O. L., 928
Giulietti, A. M.: *See* Quadri, L. E. N., 1074
Glatz, C.: *See* Suominen, I., 593
Goklen, K.: *See* Chartrain, M., 575
Gowda, L. R.: *See* Bhat, N., 796
Gray, C. J.: *See* Baggett, N., 742
Greasham, R.: *See* Chartrain, M., 575
Greenfield, P. F.: *See* Hardjito, L., 120
Griffiths, M. S., and Bosley, J. A.: Assessment of macroporous polystyrene-based polymers for the immobilization of *Citrobacter freundii*, 109
Grisenti, P.: *See* Santaniello, F., 367
Gruber, F.: *See* Kubicek, C. P., 90
Guisán J. M.: *See* Fernandez-Lafuente, R., 546
Guo, Y.: *See* Su, Z., 791
Gupta, V. S.: *See* Bhattacharya, S., 1070
Gutierrez-Merino, C.: *See* Fernandez-Salguero, P., 100

Habu, N.: *See* Eriksson, K.-E. L., 1002
Hada, J.: *See* Ushio, K., 222
Hadar, Y.: *See* Kerem, Z., 785
Haddadin, J., Morin, D., Ollivier, P., and Fick, M.: Effect of different carbon dioxide concentration on ferrous iron and pyrite oxidation by a mixed culture of iron and/or sulfur-oxidizing bacteria, 832
Hahn-Hägerdal, B.: *See* Lindén, T., 321
Hale, R. S.: *See* Mahmoudian, M., 749
Haltrich, D., Preiss, M., and Steiner, W.: Optimization of a culture medium for increased xylanase production by a wild strain of *Schizophyllum commune*, 854
Hansen, G. J.: *See* Vicenzi, J. T., 281
Hanson, R. L.: *See* Patel, R. N., 1014
Hardjito, L., Greenfield, P. F., and Lee, P. L.: Recombinant protein production via fed-batch culture of the yeast *Saccharomyces cerevisiae*, 120
Harsa, S., Zaror, C. A., and Pyle D. L.: Adsorption of *Kluyveromyces* marxianus pectinase on CM-Sephadex gels, 906
Hatakka, A. I.: *See* Vares, T., 664
Hazenberg, W.: *See* Preusting, H., 311
Heijnen, J. J.: *See* Rakels, J. L. L., 1051
Heimo, H.: *See* Suominen, I., 593
He, L., Bickerstaff, G. F., Paterson, A., and Buswell, J. A.: Purification and partial characterization of two xylanases that differ in hydrolysis of soluble and insoluble xylan fractions, 13
Heupel, C., Schlochtermeier, A., and Schrempf H.: Characterization of an intracellular β-glucosidase from *Streptomyces reticuli*, 127
Hoffman, A. S.: *See* Park, T. G., 476
Huskisson, N.: *See* Romaniec, M. P. M., 393
Hu, Z. C., Korus, R. A., Venkataramu, C. R., and Crawford, R. L.: Deactivation kinetics of lignin peroxidase from *Phanerochaete chrysosporium*, 567

Iborra, J. L., Castellar, M. R., Canovas, M., and Manjón A.: Analysis of a packed-bed reactor for hydrolysis of picrocrocin by immobilized β-glucosidase, 780
Iborra, J. L.: *See* Lozano, P., 868
Ikeda, R. A.: *See* Steinlein, L. M., 193
Iliev, I.: *See* Tchorbanov, B., 974
Imanishi, Y.: *See* Liu, S. Q., 167
Israelachvili J.: *See* :Leckband D., 450
Ito, Y.: *See* Liu, S. Q., 167

Jacobs, J. W.: *See* Spitznagel, T. M., 916
Jones, P.: *See* Mahmoudian, M., 749
Joseph, R.: *See* Sarada, R., 339
Joseph, R.: *See* Manonmani, H. K., 624
Junter, G.-A.: *See* Lebrun, L., 1057

Kalbach, C. E., and Gatenby, A. A.: A stable expression plasmid for high-level production of GroE molecular chaperones in large-scale cultures, 730
Kammermeier-Steinke, D., Schwarz, A., Wandrey, C., and Kula, M. R.: Studies on the substrate specificity of a peptide amidase partially purified from orange flavedo, 764
Kato, J.: *See* Yamane, Y., 877
Katz, L.: *See* Chartrain, M., 575
Kelly, B.: *See* Nigam, P., 652
Kerem, Z., and Hadar, Y.: Chemically defined solid-state fermentation of *Pleurotus Ostreatus*, 785
Kerry, S., Dart, R. K., and Marples, B. A.: Enantioselective hydrolysis of cyclopentaneacetic acid esters related to methyl jasmonate, 818
Keshavarz, T.: *See* Mussenden, P., 2

Khanna, S., and Gauri: Regulation, purification and properties of xylanase from *cellulomonas fimi*, 990
Kim, D.-M., and Kim, H.-S.: Enzymatic synthesis of D-*p*-hydroxyphenylglycine from DL-*p*-hydroxyphenylhydantoin in the presence of organic cosolvent, 530
Kim, H.-S.: *See* Kim, D.-M., 530
Kim, M. K., and Rhee, J. S.: Lipid hydrolysis by *Pseudomonas putida* 3SK cultured in organic-aqueous two-phase system, 612
Knutsen, S. H.: *See* Østgaard, K., 756
Knutsen, S. H.: *See* Østgaard, K., 326
Kolaczkowska, M.: *See* Chrzanowska, J., 140
Korus, R. A.: *See* Hu, Z. C., 567
Koshino, S.: *See* Urano, 959
Kremnicky, L.: *See* Stredansky, 1063
Kretzmer, G.: *See* Tomeczkowski, J., 849
Kubicek-Pranz, E. M.: *See* Kubicek, C. P., 90
Kubicek, C. P., Messner, R., Gruber, F., Mach, R. L., and Kubicek-Pranz, E. M.: The *Trichoderma* cellulase regulatory puzzle: From the interior life of a secretory fungus, 90
Kukić, G.: *See* Mojović, L., 438
Kula, M.-R.: *See* Peters, J., 950
Kula, M. R.: *See* Kammermeier-Steinke, D., 764
Kumakura, M.: *See* Xin, L. Z., 300
Kurillová, L'.: *See* Gemeiner, P., 50

Lacis, L. S.: *See* Milagres, A. M. F., 248
Lafuente, J.: *See* Benito, A., 66
Lakshmi, B. R., and Chandra, T. S.: Rapid release of protoplasts from *Eremothecium ashbyii* in comparison with *Trichoderma reesei* and *Penicillium chrysogenum* using Novozyme and Funcelase, 699
Landeta, L. C.: *See* Montero, S., 239
Lang, C.: *See* López-Munguía, A., 77
Larreta-Garde V.: *See* Luquet, M. P., 842
Lascaray, J. M.: *See* Montero, S., 239
Lawrence, G. C.: *See* Mahmoudian, M., 749
Lazić, M. L., Veljković, V. B., Vučetić, J. I., and Vrvic, M. M.: Effect of pH and aeration on dextran production by *Leuconostoc mesenteroides*, 334
Lebrun, L., and Junter, G.-A.: Diffusion of sucrose and dextran through AGAR gel membranes, 1057
Leckband, D., and Israelachvili, J.: Molecular basis of protein function as determined by direct force measurements, 450
Lee, C. Y., Choi, S. K., and Chang, H. N.: Bench scale production of acrylamide using the resting cells of *Brevibacterium* sp. CH2 in a fed-batch reactor, 979
Lee, P. L.: *See* Hardjito, L., 120
Lee, S. Y., and Rhee, J. S.: Production and partial purification of a lipase from *Pseudomonas putida* 3SK, 617
Leenen, E. J. T. M.: *See* Buitelaar, R. M., 670
Legoy, M.-D.: *See* Darnet, S., 8
Lethbridge, G.: *See* McDermott, J. F., 657
Liao, H. H.: Thermostable mutants of kanamycin nucleotidyltransferase are also more stable to proteinase K, urea, detergents, and water-miscible organic solvents, 286
Libbenga, K. R.: *See* Meijer, J. J., 234
Linden, T., and Hahn-Hägerdal, B.: Activity and stability of xylose isomerase preparations from whole cells of *Lactobacillus brevis* in spent sulfite liquor, 321
Linko, S., Vaheri, H., and Seppälä J.: Production of poly-β-hydroxybutyrate on lactic acid by *Alcaligenes eutrophus* H16 in a 3-1 bioreactor, 401
Liu, S. Q., Ito, Y., and Imanishi, Y.: Cell growth on immobilized cell growth factor. 7. Protein-free cell culture by using growth-factor-immobilized polymer membrane, 167
Llama, M. J.: *See* Montero, S., 239
López-Munguía, A., Pelenc, V., Remaud, M., Biton, J., Michel, J. M., Lang, C., Paul, F., and Monsan P.: Production and purification of alternansucrase, a glucosyltransferase from *Leuconostoc mesenteroides* NRRL B-1355, for the synthesis of oligoalternans, 77
Love, M. E.: *See* Burton, K. S., 736
Lozano, P., Cano, J., Iborra, J. L., and Manjón, A.: Influence of polyhydroxylic cosolvents on papain thermostability, 868
Ludwig, A.: *See* Tomeczkowski, J., 849
Lundell, T. K.: *See* Vares, T., 664
Luong, J. H. T.: *See* Male, K. B., 26
Luong, J. H. T.: *See* Cattaneo, M. V., 424
Luquet, M. P., Pourplanche, C., Podevin, M., Thompson, G., and Larreta-Garde V.: A new possibility for the direct use of soybean lipoxygenase on concentrated triglycerides, 842
Luyben, K. Ch. A. M.: *See* Meijer, J. J., 234

Mach, R. L.: *See* Kubicek, C. P., 90
MacNaughtan, M. D., and Daugulis, A. J.: Importance of enzyme and solvent physical properties for the biocompatibility relationship of α-amino acid ester hydrolase, 114
Macrae, A. R.: *See* Charton, E., 489
Mahadevan, B.: *See* Cao, W., 810
Mahmoudian, M., Baines, B. S., Drake, C. S., Hale, R. S., Jones, P., Piercey, J. E., Montgomery, D. S., Purvis, I. J., Storer, R., Dawson, M. J., and Lawrence, G. C.: Enzymatic production of optically pure (2'R-cis)-2'-deoxy-3'-thiacytidine (3TC, Lamivudine): A potent anti-HIV agent, 749
Male, K. B., Luong, J. H. T., Tom, R., and Mercille, S.: Novel FIA amperometric biosensor system for the determination of glutamine in cell culture systems, 26
Manhas, M. S.: *See* Negi, M., 483
Manjón A.: *See* Iborra, J. L., 780
Manjón A.: *See* Lozano, P., 868
Manonmani, H. K., and Joseph, R.: Purification and properties of an extracellular proteinase of *Trichoderma koningii*, 624
Marangoni, A. G.: The effects of the interaction of porcine pancreatic lipase with AOT/isooctane reverse micelles on enzyme structure and function follow predictable patterns, 944
Marchant, R.: *See* Nigam, P., 652
Marcin, C.: *See* Chartrain, M., 575
Margolin, A. L.: Enzymes in the synthesis of chiral drugs, 266
Marion, C.: *See* Michalon, P., 215
Markaryan A. N.: *See* Blinkovsky, A. M., 965
Marples, B. A.: *See* Kerry, S., 818
Martin-Alvarez, P. J.: *See* Fernandez-Garcia, E., 519
Martinez, M.: *See* Garcia, T., 607
Mascini, M.: *See* Skladal, P., 508
Mattiasson, B.: *See* Galaev, I. Y., 354
McDermott, J. F., Lethbridge, G., and Bushell, M. E.: Estimation of the kinetic constants and elucidation of trends in growth and erythromycin production in batch and continuous cultures of *Saccharopolyspora erythraea* using curve-fitting techniques, 657
McDougall, B. M.: *See* Pitson, S. M., 178
McNamee, C. G.: *See* Patel, R. N., 1014
Meijer, J. J., ten Hoopen, H. J. G., Luyben, K. Ch. A. M., and Libbenga, K. R.: Effects of hydrodynamic stress on cultured plant cells: A literature survey, 234
Mercille, S.: *See* Male, K. B., 26
Messner, R.: *See* Kubicek, C. P., 90
Michálková, E.: *See* Gemeiner, P., 50
Michalon, P., Roche, J., Couturier, R., Favre-Bonvin, G., and Marion, C.: DNase activity of micrococcal endonuclease covalently immobilized on nylon and polystyrene, 215
Michel, J. M.: *See* López-Munguía, A., 77
Milagres, A. M. F., Lacis, L. S., and Prade, R. A.: Characterization of xylanase production by a local isolate of *Penicillium janthinellum*, 248
Minjares, A.: *See* Antier, P., 254
Minuth, T.: *See* Peters, J., 950
Mishra, A. K.: *See* Ghosh, M., 703
Miyawaki, O., and Yano, T.: Electrochemical bioreactor with immobilized glucose-6-phosphate dehydrogenase on the rotating graphite disc electrode modified with phenazine methosulfate, 525
Mojović, L., Šiler-Marinković, S., Kukić, G., and Vunjak-Novaković, G.: *Rhizopus arrhizus* lipase-catalyzed interesterification of the midfraction of palm oil to a cocoa butter equivalent fat, 438
Mollah, A. H., and Stuckey, D. C.: Feasibility of *in situ* gas stripping for continuous acetone-butanol fermentation by *Clostridium acetobutylicum*, 200
Monsan, P.: *See* López-Munguía, A., 77
Montero, S., Blanco, A., Virto, M. D., Landeta, L. C., Agud, I., Solozabal, R., Lascaray, J. M., de Renobales, M., Llama, M. J., and Serra J. L.: Immobilization of *Candida rugosa* lipase and some properties of the immobilized enzyme, 239
Montgomery, D. S.: *See* Mahmoudian, M., 749
Moresoli, C.: *See* Morin, A., 500
Morin, A.: Use of D-hydantoinase ex-

tracted from legumes to produce N-carbamyl D-amino acids, 208
Morin, A., Moresoli, C., Rodrigue, N., Dumont, J., Racine, M., and Poitras, E.: Effect of carbon, nitrogen, and agitation on exopolysaccharide production by *Enterobacter agglomerans* grown on low-grade maple sap, 500
Morin, D.: *See* Haddadin, J., 832
Mota, M.: *See* Gama, F. M., 57
Mukataka, S., Negishi, S., Sato, S., Takahashi, J.: Effect of substrate presoaking treatment of support materials on the activity of immobilized glucoamylase, 229
Mussenden, P., Keshavarz, T., Saunders, G., and Bucke, C.: Physiological studies related to the immobilization of *Penicillium chrysogenum* and penicillin production, 2
Mustranta, A., Forssell, P., and Poutanen, K.: Applications of immobilized lipases to transesterification and esterification reactions in nonaqueous systems, 133

Naina, N. S.: *See* Bhat, N., 796
Nanda, G.: *See* Ghosh, M., 703
Nazhad, M. M.: *See* Ramos, L. P., 821
Negi, M., Subbaraju, G. V., Manhas, M. S., and Bose A. K.: Preparation of both enantiomers of an α-hydroxy ketone via biocatalytic reduction and chemical oxidation, 483
Negishi, S.: *See* Mukataka, S., 229
Niederauer, M.: *See* Suominen, I., 593
Nigam, P., Banat, I. M., Kelly, B. A., and Marchant, R.: Dihydrofolate reductase synthesis in continuous culture using a methotrexate-resistant *Escherichia coli*, 652
Nurmela, H.: *See* Suominen, I., 593

Olano, A.: *See* Fernandez-Garcia, E., 519
Ollivier, P.: *See* Haddadin, J., 832
Ooshima, H.: *See* Yamane, Y., 877
Østgaard, K., Knutsen, S. H., Dyrset, N., and Aasen, I. M.: Production and characterization of guluronate lyase from *Klebsiella pneumoniae* for applications in seaweed biotechnology, 756
Østgaard, K., Wangen, B. F., Knutsen, S. H., and Aasen, I. M.: Large-scale production and purification of κ-carrageenase from *Pseudomonas carrageenovora* for applications in seaweed biotechnology, 326
Ouchi, K.: *See* Shimura, K., 874

Padwal-Desai, S. R.: *See* Behere, A., 158
Paiva, N. L., Demain, A. L., and Roberts, M. F.: The immediate precursor of the nitrogen-containing ring of rapamycin is free pipecolic acid, 581
Pandey, K., and Agarwal, P. K.: Effect of EDTA, potassium ferrocyanide and sodium potassium tartarate on the production of ethanol from molasses by *Saccharomyces cerevisiae*, 887
Parascandola, P., deAlteriis, E., and Scardi, V.: Invertase and acid phosphatase in free and gel-immobilized cells of *Saccharomyces cerevisiae* grown under different cultural conditions, 42
Park, T. G., and Hoffman, A. S.: Thermal cycling effects on the bioreactor performances of immobilized β-galactosidase in temperature-sensitive hydrogel beads, 476
Patel, R. N., Banerjee, A., McNamee, C. G., Brzozowski, D., Hanson, R. L., and Szarka, L. J.: Enantioselective microbial reduction of 3,5-dioxo-6-(benzyloxy) hexanoic acid, ethyl ester, 1014
Paterson, A.: *See* He, L., 13
Patnaik, P. R.: Steady-state multiplicity in enzyme deactivation: Application of a simple graph theoretic method, 162
Paul, F.: *See* López-Munguía, A., 77
Peiji G.: *See* Xin, Z., 62
Pelenc, V.: *See* López-Munguía, A., 77
Peng, Z.: *See* Su, Z., 791
Perea, A., Ugalde, U., Rodriguez, I., and Serra, J. L.: Preparation and characterization of whey protein hydrolysates: Applications in industrial whey bioconversion processes, 418
Peters, J., Minuth, T., and Kula, M.-R.: A novel NADH-dependent carbonyl reductase with an extremely broad substrate range from *Candida parapsilosis:* purification and characterization, 950
Phadatare, S. U., Deshpande, V. V., and Srinivasan, M. C.: High activity alkaline protease from *Conidiobolus coronatus* (NCL 86.8.20): Enzyme production and compatibility with commercial detergents, 72
Piercey, J. E.: *See* Mahmoudian, M., 749
Pitson, S. M., Seviour, R. J., and McDougall, B. M.: Noncellulolytic fungal β-glucanases: Their physiology and regulation, 178
Plattner, H. J.: *See* Romaguera, A., 412
Podevin, M.: *See* Luquet, M. P., 842
Poitras, E.: *See* Morin, A., 500
Polanowski, A.: *See* Chrzanowska, J., 140
Pourplanche, C.: *See* Luquet, M. P., 842
Poutanen, K.: *See* Mustranta, A., 133
Prabhune, A. A.: *See* Bhattacharya, S., 1070
Prade, R. A.: *See* Milagres, A., 248
Prausnitz, J. M.: *See* Creagh, A. L., 383
Preiss, M.: *See* Haltrich, D., 854
Preusting, H., Hazenberg, W., and Witholt, B.: Continuous production of poly(3-hydroxyalkanoates) by *Pseudomonas oleovorans* in a high-cell-density, two-liquid-phase chemostat, 311
Price, K.: *See* Chartrain, M., 575
Prior, B. A.: *See* Christov, L. P., 460
Puls, J.: *See* Filho, E., 535
Purkarthofer, H., Sinner, M., Steiner, W.: Cellulase-free xylanase of *Thermomyces lanuginosus:* Optimization of production in submerged and solid-state culture, 677
Purvis, I. J.: *See* Mahmoudian, M., 749
Pyle, D. L.: *See* Harsa, S., 906

Quadri, L. E. N., and Giulietti, A. M.: Effect of elicitation on the accumulation of solasodine by immobilized cells of *Solanum eleagnifolium* Cav., 1074

Racine, M.: *See* Morin, A., 500
Raimbault, M.: *See* Antier, P., 254
Rajarathnam, S.: *See* Bano, Z., 985
Rakels, J. L. L., Straathof, A. J. J., and Heijnen, J. J.: A simple method to determine the enantiomeric ratio in enantioselective biocatalysis, 1051
Ramos, L. P., Breuil, C., and Saddler, J. N.: The use of enzyme recycling and the influence of sugar accumulation on cellulose hydrolysis by *Trichoderma* cellulases, 19
Ramos, L. P., Nazhad, M. M., and Saddler, J. N.: Effect of enzymatic hydrolysis on the morphology and fine structure of pretreated cellulosic residues, 821
Ramos, M: *See* Fernandez-Garcia, E., 519
Rane, K. D., and Sims, K. A.: Production of citric acid by *Candida lipolytica* Y1095: Effect of glucose concentration on yield and productivity, 646
Ranjekar, P. K.: *See* Bhattacharya, S., 1070
Rao, M.: *See* Shendye, A., 343
Rao, M.: *See* Gaikwad, S., 155
Ravishankar, G. A.: *See* Suvarnalatha, G., 710
Remaud, M.: *See* López-Munguía, A., 77
Rhee, J. S.: *See* Kim, M. K., 612
Rhee, J. S.: *See* Lee, S. Y., 617
Richards, A. O. L., Gill, I. S., and Vulfson, E. N.: Continuous enzymatic production of oligopeptides: Synthesis of an enkephalin pentapeptide in a multistage bioreactor, 928
Robb, D. A.: *See* Yang, Z., 1030
Roberts, M. F.: *See* Paiva, N. L., 581
Roche, J.: *See* Michalon, P., 215
Rodrigue, N.: *See* Morin, A., 500
Rodriguez, I.: *See* Perea, A., 418
Rodriguez, V.: *See* Fernandez-Lafuente, R., 546
Romaguera, A., Tschech, A., Bender, S., Plattner, H. J., and Diekmann, H.: Protoplast formation by a mycolase from *Streptomyces olivaceoviridis* and purification of chitinases, 412
Romaniec, M. P. M., Huskisson, N., Barker, P., and Demain, A. L.: Purification and properties of the *Clostridium thermocellum* bglB gene product expressed in *Escherichia coli*, 393
Rosell, C. M.: *See* Fernandez-Lafuente, R., 546
Roussos, S.: *See* Antier, P., 254
Roy, S. K.: *See* Sadhukhan, R., 801
Russell, A. J.: See Chatterjee, et al., 1022

Saddler, J. N.: See Ramos, et al., 19
Saddler, J. N.: See Ramos, et al., 821
Sadhukhan, R., Roy, S. K., and Chakrabarty, S. L.: Immobilization of α-amylase from *Myceliophthora thermophila* D-14 (ATCC 48104), 801
Sahai, V.: *See* Chaudhuri, B. K., 513
Sahara, H.: *See* Urano, N., 959
Salmon, P.: *See* Chartrain, M., 575
Salvadori, C.: *See* Skladal, P., 508
Samejima, M.: *See* Eriksson, K.-E. L., 1002
Sami, A. J., and Akhtar, M. W.: Purification and characterization of two low-molecular weight endoglucanases of *Cellulomonas flavigena*, 586

Santana, C.: *See* Fernandez-Lafuente, R., 546
Santaniello, E., Ferraboschi, P., and Grisenti, P.: Lipase-catalyzed transesterification in organic solvents: Applications to the preparation of enantiomerically pure compounds, 367
Sarada, R., and Joseph, R.: Profile of hydrolases acting on major macromolecules of tomato processing waste during anaerobic digestion, 339
Sato, S.: *See* Mukataka, S., 229
Satyanarayana, T.: *See* Babu, K. R., 1066
Satyanarayan, V.: *See* Behere, A., 158
Saunders, G.: *See* Mussenden, P., 2
Scardi, V.: *See* Parascandola, P., 42
Schlieker, H.: *See* Zeng, A. P., 770
Schlochtermeier, A.: *See* Heupel, C., 127
Schmidt, J. E., and Ahring, B. K.: Effects of magnesium on thermophilic acetate-degrading granules in upflow anaerobic sludge blanket (UASB) reactors, 304
Schrempf, H.: *See* Heupel, C., 127
Schwarz, A.: *See* Kammermeier-Steinke, D., 764
Selisko, B.: *See* Ulbrich-Hofmann, R., 33
Semple, K. M.: *See* Vazquez-Duhalt, R., 936
Semple, K. M.: *See* Fedorak, P. M., 429
Seppälä, J.: *See* Linko, S., 401
Serra, J. L.: *See* Perea, A., 418
Serra, J. L.: *See* Montero, S., 239
Seta, J.: *See* Boyaval, P., 683
Seviour, R. J.: *See* Pitson, S. M., 178
Shashirekha, M. N.: *See* Bano, Z., 985
Shendye, A., and Rao, M.: Molecular cloning and expression of xylanases from an alkalophilic thermophilic *Bacillus* (NCIM 59) in *Bacillus subtilis* A8, 343
Shimura, K., Fukuda, K., and Ouchi, K.: Genetic transformation of industrial yeasts using an amino acid analog-resistance gene as a directly selectable marker, 874
Shiraishi, F.: Experimental evaluation of the usefulness of equations describing the apparent maximum reaction rate and apparent Michaelis constant of an immobilized enzyme reaction, 150
Shubhada, S., and Sundaram, P. V.: Borate ion-assisted stabilization of β-galactosidase from *Aspergillus oryzae* by polyhydroxy compounds in water-miscible organic solvents, 881
Shukla, H., and Chaplin, M.: Noncompetitive inhibition of β-galactosidase (*A. oryzae*) by galactose, 297
Šiler-Marinković, S.: *See* Mojović, L., 438
Sims, K. A.: *See* Rane, K. D., 646
Sinner, M.: *See* Parkarthofer, H., 677
SivaRaman, H.: *See* Bhattacharya, S., 1070
Skladal, P., Mascini, M., Salvadori, C., Zannoni, G.: Detection of bacterial contamination in sterile UHT milk using an L-lactate biosensor, 508
Slaughter, J. C., Weatherley, L. R., and Wilkinson, A: Electrically enhanced enzymic hydrolysis of vegetable oils using lipase from *Candida rugosa*, 293
Smith, J. F.: *See* Burton, K. S., 736
Smith, S.: *See* Chartrain, M., 575
Solà, C.: *See* Benito, A., 66
Soler, G.: *See* Fernandez-Lafuente, R., 546
Solozabal, R.: *See* Montero, S., 239
Spitznagel, T. M., Jacobs, J. W., and Clark, D. S.: Random and site-specific immobilization of catalytic antibodies, 916
Srinivasan, M. C.: *See* Phadatare, S., 72
Stachon, D.: *See* Suominen, I., 593
Štefuca, V.: *See* Gemeiner, P., 50
Štefuca, V.: *See* Gemeiner, P., 551
Steiner, W.: *See* Purkarthofer, H., 677
Steiner, W.: *See* Haltrich, D., 854
Steinlein, L. M., and Ikeda, R. A.: Production of N-terminal and C-terminal human serum transferrin in *Escherichia coli*, 193
Stewart, W. W., and Swaisgood, H. E.: Characterization of Ca alginate pore diameter by size-exclusion chromatography using protein standards, 922
Storer, R.: *See* Mahmoudian, M., 749
Straathof, A. J. J.: *See* Rakels, J. L. L., 1051
Stredansky, M., Tomaska, M., Sturdik, E., and Kremnicky, L.: Optimization of β-galactosidase extraction from *Kluyveromyces marxianus*, 1063
Stuckey, D. C.: *See* Mollah, A. H., 200
Sturdik, E.: *See* Stredansky, M., 1063
Su, Z., Guo, Y., and Peng, Z.: Production of intracellular enzyme by *Corynebacterium glutamicum* T6-13 protoplasts immobilized in Ca-alginate gels, 791
Subbaraju, G. V.: *See* Negi, M. 483
Sundaram, P. V.: *See* Shubhada, S., 881
Suominen, I., Ford, C., Stachon, D., Heimo, H., Niederauer, M., Nurmela, H., and Glatz C.: Enhanced recovery and purification of *Aspergillus* glucoamylase from *Saccharomyces cerevisiae* by the addition of poly (aspartic acid) tails, 593
Suvarnalatha, G., Chand, N., Ravishankar, G. A., and Venkataraman L. V.: Computer-aided modeling and optimization for capsaicinoid production by immobilized *Capsicum frutescens* cells, 710
Swaisgood, H. E.: *See* Stewart, W. W., 922
Szarka, L. J.: *See* Patel, R. N., 1014

Takahashi J.: *See* Mukataka, S., 229
Tanaka, Y.: *See* Ushio, K., 222
Tanyolaç, A., and Tuncel, S. A.: Effectiveness factor for spherically growing mixed culture in substrate inhibition media, 144
Tarabasz-Szymańska, L., and Galas, E.: Two-step mutagenesis of *Pullularia pullulans* leading to clones producing pure pullulan with high yield, 317
Tchorbanov, B., and Iliev, I.: Limited enzymic hydrolysis of casein in the presence of ethanol, 974
Teixeira, J. A.: *See* Gama, F. M., 57
ten Hoopen, H. J. G.: *See* Meijer, J. J., 234
Thien, M.: *See* Chartrain, M., 575
Thomas, D.: *See* Darnet, S., 8
Thompson, G.: *See* Luquet, M. P., 842
Tomaska, M.: *See* Stredansky, M., 1063
Tomeczkowski, J., Ludwig, A., and Kretzmer, G.: Effect of cholesterol addition on growth kinetics and shear stress sensitivity of adherent mammalian cells, 849
Tom, R.: *See* Male, K. B., 26
Tramper, J.: *See* Buitelaar, R. M., 670
Tramper, J.: *See* Van Sonsbeek, H. M., 722
Tschech, A.: *See* Romaguera, A., 412
Tuncel, S. A.: *See* Tanyolaç, A., 144

Ugalde, U.: *See* Perea, A., 418
Ulbrich-Hofmann, R., and Selisko, B.: Soluble and immobilized enzymes in water-miscible organic solvents: glucoamylase and invertase, 33
Urano, N., Sahara, H., and Koshino S.: Electrofusion of brewer's yeast protoplasts and enrichment of the fusants using a flow cytometer, 959
Ushio, K., Hada, J., Tanaka, Y., and Ebara, K.: Allyl bromide, a powerful inhibitor against *R*-enzyme activities in Bakers' yeast reduction of ethyl 3-oxoalkanoates, 222

Vaheri, H.: *See* Linko, S., 401
Valero, F.: *See* Benito, A., 66
Van Sonsbeek, H. M., Beeftink, H. H., and Tramper J.: Two-liquid-phase bioreactors, 722
Vares, T., Lundell, T. K., and Hatakka, A. I.: Production of multiple lignin peroxidases by the white-rot fungus *Phlebia ochraceofulva*, 664
Vasileva-Tonkova, E. S.: Isolation and some properties of extracellular ribonuclease from *Trichoderma harzianum*, 687
Vazquez-Duhalt, R., Westlake, D. W. S., and Fedorak, P. M.: Cytochrome *c* as a biocatalyst for the oxidation of thiophenes and organosulfides, 494
Vazquez-Duhalt, R., Semple, K. M., Westlake, D. W. S., and Fedorak, P. M.: Effect of water-miscible organic solvents on the catalytic activity of cytochrome *c*, 936
Vazquez-Duhalt, R.: *See* Fedorak, P. M., 429
Veljković, V. B.: *See* Lazic M. L., 334
Venkataraman, L. V.: *See* Suvarnalatha, G., 710
Venkataramu, C. R.: *See* Hu, Z. C., 567
Vicenzi, J. T., and Hansen, G. J.: Enzymatic oxidation of cephalosporin C using whole cells of the yeast *Triginopsis variabilis* withing a "cross-flow filter-reactor," 281
Vidal, M.: *See* Benito, A., 66
Villaverde, A.: *See* Benito, A., 66
Viniegra-Gonzalez, G.: *See* Antier, P., 254
Virto, M. D.: *See* Montero, S., 239
Volk, T.: Comments on "Bioprocessing in Space," 899
Vrvic, M. M.: *See* Lazic, M. L., 334
Vučetić, J. I.: *See* Lazic M. L., 334
Vulfson, E. N.: *See* Richards, A. O. L., 928

Vunjak-Novaković G.: *See* Mojović, L., 438

Wandrey, C.: *See* Kammermeier-Steinke, D., 764
Wangen, B. F.: *See* Østgaard, K., 326
Ward, O. P.: *See* Zuyi, L., 601
Weatherley, L. R.: *See* Slaughter, J. C., 293
Welward, L.: *See* Gemeiner, P., 50
Welwardová, A.: *See* Gemeiner, P., 50
Westlake, D. W. S.: *See* Vazquez-Duhalt, R., 936
Westlake, D. W. S.: *See* Vazquez-Duhalt, R., 494
Westlake, D. W. S.: *See* Fedorak, P. M., 429
Wilkinson, A.: *See* Slaughter, J. C., 293
Witholt, B.: *See* Preusting, H., 311
Wootton, A. N.: *See* Cheetham, P. S. J., 105

Xin, L. Z., and Kumakura, M.: Immobilization of *Trichoderma reesei* cells on paper covered by hydrophilic and hydrophobic copolymers generated by irradiation, 300
Xin, Z., Yinbo, Q., and Peiji, G.: Acceleration of ethanol production from paper mill waste fiber by supplementation with β-glucosidase, 62

Yamane, Y., Ooshima, H., Kato, J.: Overproduction of riboflavin by an *Arthrobacter* sp. mutant resistant to 5-fluorouracil, 877
Yang, Z., and Robb, D. A.: Comparison of tyrosinase activity and stability in aqueous and nearly nonaqueous environments, 1030
Yano, T.: *See* Miyawaki, O., 525
Yinbo, Q.: *See* Xin, Z., 62

Zannoni, G.: *See* Skladal, P., 508
Zaror, C. A.: *See* Harsa, S., 906
Zeng, A.-P., Biebl, H., Schlieker, H., and Deckwer, W. D.: Pathway analysis of glycerol fermentation by *Klebsiella pneumoniae:* Regulation of reducing equivalent balance and product formation, 770
Zuyi, L., and Ward, O. P.: Lipase-catalysed alcoholysis to concentrate the *n*-3 polyunsaturated fatty acid of cod liver oil, 601

Subject Index

7-ACA
D-Amino acid oxidase, Catalase, *Trigonopsis variabilis*, Bioreactor design, Ceph C, 281
Accelerated cheese ripening
Proteolysis in cheese, 519
Acetate degrading
UASB reactor, Thermophilic, Granulation, Magnesium, 304
Acetate exchanger
Fiber optic, Chemiluminescence, Glucose, 424
Acetone-butanol fermentation
Immobilized cells, Gas stripping, 200
Acetyl xylan esterase
Ferulic acid esterase, *p*-Coumaric acid esterase, Production, Properties, Xylan degradation, Applications, 460
Acid phosphatase
Immobilization, *Saccharomyces cerevisiae*, Invertase, 42
Acid protease
Rennet, Rate of substrate consumption, *Mucor miehei*, 1009
Actinomycete xylanases
Mesophilic streptomycete, Xylanase isoenzymes, Xylan solubility, 13
Active site titration
Enzymes, Organic solvents, Mechanism, Subtilisin, Microscopic rate constants, 1022
Adherent
Mammalian cells, Shear stress, Cholesterol, 849
Adhesion
Trichoderma reesei, Immobilization, Irradiation technique, Hydrophilicity, 300
Adsorption
Steam explosion, *Eucalyptus viminalis*, Cellulose hydrolysis, Cellulase recycling, End-product inhibition, 19
Affinity chromatography
Proteinase, *Trichoderma koningii*, Purification, 624
Affinity precipitation
Cloud point, Hydrogels, Immobilized enzymes, Immunoassay, Lower critical solution temperature (LCST), Nonionic surfactants, Phase separation, Poly(*N*-isopropylacylamide), Poly(*N*-vinyl caprolactam), Protein purification, thermoreactive polymers, 354
Agar
Dextran, Diffusivity, Partition coefficient, Sucrose, 1057
Agaricus
Tyrosinase, Protease, Phenols, Quality, Mushroom, 736
Agarose gel
Monoaminoethyl-N-aminoethyl structures, Protein immobilization, Carboxyl coupling, β-Galactosidase, 546
Agitation rate
Enterobacter agglomerans, Microbial polysaccharide, Maple sap, Screening, Effect of carbon, Effect of nitrogen, 500
Alcalase
Whey hydrolysis, Proteinases, Peptides, *Kluyveromyces marxianus*, 418
Alcaligenes eutrophus
Poly-β-hydroxybutyric acid, PHB, Biopolymer, Biodegradable polyester, Fermentation, 401
Alcoholysis
Lipase, Polyunsaturated fatty acids, 601
Alginate lyase
Klebsiella aerogenes, Fermentor, Protoplast, 756
Alkaline protease
Conidiobolus coronatus, Detergent compatibility, 72
Alkalophilic-thermophilic *Bacillus*
Xylanase cloning, Homologous gene expression, Xylanase-negative mutant, Electroporation, 343
Allyl bromide
Yeast reduction, Enzyme inhibitor, Stereochemical control, Ethyl(S)-3-hydroxypentanoate, 222
alpha-Amylase
Immobilization, *M. thermophila* D-14, 801
α-Amylase
Bacillus coagulans, Cations, Calcium inhibition, 1066
α-Chymotrypsin
Casein, Enzymic hydrolysis, Trypsin, Subtilisin, Bitterness, 974
Reverse micelles, LADH, EPR, CD, 383
Continuous bioreactor, Oligopeptide synthesis, Proteinase K, Enzymes in organic solvent, 928
Alternansucrase
Glycosyltransferase, *Leuconostoc mesenteroides*, 77
Amino acid analog
Saccharomyces cerevisiae, Industrial yeast, Transformation, Dominant gene, Selective marker, 874
6-Aminopenicillanic acid
Escherichia coli, Penicillin acylase, Constitutive, β-Lactamase negative, Plasmid pUSAD2, *Pac* gene, DH5 cells, Optimization of enzyme production parameters, Lactose broth, 1070
Ampicillin
Cephalexin, Cephaloglycine, Enzymatic synthesis, D-(−)-Phenylglycyl-β- lactamide amidohydrolase, 965
Anaerobic bacteria
β-Glucosidase, *Clostridium thermocellum*, bg1B gene, Cellulase, Thermophiles, 393
Anaerobic microbial digestion
Tomato waste, Hydrolytic enzymes, 339
Analytical reagent
Yeast, Detergent permeabilization, Intracellular enzymes, 796
Anion exchange resins
Biosensor system, Flow injection analysis, Glutamine, Glutamate, Glutaminase, Glutamate oxidase, Mammalian cells, Insect cells, 26
Antagonistic action
Riboflavin, 5-fluorouracil-resistant mutant, *Arthrobacter* sp., 877
Antibiotics
Curve fitting, Secondary metabolism, Continuous culture, 657
Apparent kinetic parameters
Maximum reaction rate, Michaelis constant, Immobilized enzyme, Diffusional effect, 150
Applications
Acetyl xylan esterase, Ferulic acid esterase, *p*-Coumaric acid esterase, Production, Properties, Xylan degradation, 460
Arthrobacter sp.
Riboflavin, Antagonist action, 5-fluorouracil-resistant mutant, 877
Aspergillus carbonarius
Enantioselective hydrolysis, Cyclopentaneacetic acid esters, Methyl jasmonate
Aspergillus niger, 818
Aspergillus niger
Beta-Glucosidase (EC 3.2.1.21), Ethanol, *Penicillium decumbens*, *Saccharomyces cerevisiae*, Paper mill waste fiber, 62
Exopolygalacturonase, Endopolygalacturonase, Viscometry, Purification, 158
Improved strains, Pectinases, Water activity, Solid-state fermentation, Coffee pulp, 254
XAD-7, Tagetes patula, Thiophenes, Solid adsorbent, Elicitor, Excretion, 670
Enantioselective hydrolysis, Cyclopentaneacetic acid esters, Methyl jasmonate, Aspergillus carbonarius 818
Aspergillus sydowii
Xylanase (EC 3.2.1.8), β-xylosidase (EC 3.2.1.37), 703
Asphaltenes
Chloroperoxidase, Demetallation, Petroleum, Petroporphyrins, 429
Azo dye
Flavobacterium, Streptomyces, Biodegradation, Peroxidase, 810

Bacillus
coagulans α-Amylase, Cations, Calcium inhibition, 1066
Bacteria
Lactate, Milk, Biosensor, Flow injection analysis, 508
Bakers' yeast
Reduction, Diastereoselectivity, 2-Hydroxy-2,6,6-trimethylcyclohexanone, 483
Batch and continuous cultures
Cellulases, Production, *T. reesei* C-5, Lactose, 513

© 1993 Butterworth-Heinemann

Batch conversion
Candida parapsilosis, Oxidoreductase, NADH, Optically active hydroxyacid esters, 950
Beans
Legume seeds, Grain legumes, Pulses, D-hydantoinase, Peas, Dihydropyrimidinase, *Phaseoulus* sp., *Pisum* sp., 208
Bench-scale reactor
Stabilization, Nitrile hydratase, *n*-butyric acid, High-quality acrylamide, 979
β-D-Galactosidase
Kluyveromyces, Intramuscular enzyme extraction, Solvent treatment, 1063
β-D-Glucosidase
Coumarin derivatives, Enzyme assays, Fluorogenic substrates, 742
β-Galactosidase
Agarose gel, Monoaminoethyl-N-aminoethyl structures, Protein immobilization, Carboxyl coupling, 546
Enzyme stability, Organic solvents, Polyhydroxy compounds, 881
FMDV, Recombinant proteins, Flow Injection Analysis (FIA), Fermentation monitoring, Gene expression, 66
Galactose, Noncompetitive inhibition, 297
Poly(*N*-isopropylacrylamide), Temperature-sensitive hydrogel, Immobilized enzyme, Thermal cycling operation, 476
Saccharomyces cerevisiae, Recombinant protein, Fed-batch glucose concentration, 120
β-Glucanases
Fungal enzymes, Regulation, Purification, Properties, β-Glucans, 178
β-Glucans
β-Glucanases, Fungal enzymes, Regulation, Purification, Properties, 178
β-Glucosidase
Clostridium thermocellum, bglB gene, Cellulase, Anaerobic bacteria, Thermophiles, 393
Safranal, Picrocrocin, Packed-bed reactor, 780
β-Glucosidase (EC 3.2.1.21)
Ethanol, *Penicillium decumbens*, *Aspergillus niger*, *Sacchromyces cerevisiae*, Paper mill waste fiber, 62
β-Glucosidases
Streptomyces reticuli, Purification, 127
β-Lactamase negative
Escherichia coli, Penicillin acylase, Constitutive, Plasmid pUSAD2, *Pac* gene, DH5 cells, Optimization of enzyme production parameters, 6-Aminopenicillanic acid, Lactose broth, 1070
β-xylosidase (EC 3.2.1.37)
Aspergillus sydowii, Xylanase (EC 3.2.1.8), 703
bglB gene
β-Glucosidase, *Clostridium thermocellum*, Cellulase, Anaerobic bacteria, Thermophiles, 393
Biocatalysis
Biotransformation, Fermentation, Leukotriene receptor antagonist, Lipase, 575
Chiral drugs, Kinetic resolution, Enzymes in synthesis, 266
Biocatalyst immobilization
Cellulose, Cellulosic materials, Physical and chemical properties, Properties of immobilized biocatalysts, Solid phase mass transfer, Reactor engineering, 551
Biocompatibility
Solvent selection, Extractive biocatalysis, Log *P*, 114
Bioconversion
Pleurotus sajor-caju, Rice straw, Oil seed cake, Biotransformation, Biodegradation, Cellulase, Hemicellulase, Protease, *In vitro* dry matter enzymatic digestibility, 985
Biodegradable polyester
Poly-β-hydroxybutyric acid, PHB, Biopolymer, *Alcaligenes eutrophus*, Fermentation, 401
Biodegradation
Flavobacterium, Streptomyces, Azo dye, Peroxidase, 810
Pleurotus sajor-caju, Rice straw, Oil seed cake, Bioconversion, Biotransformation, Cellulase, Hemicellulase, Protease, *In vitro* dry matter enzymatic digestibility, 985
Biopolymer
Poly-β-hydroxybutyric acid, PHB, Biodegradable polyester, *Alcaligenes eutrophus*, Fermentation, 401
Bioprocessing
Digestible energy, Hydrolysis, Fermentation, Hydroponic crops, Space, Harvest index, 899
Bioreactor
Two-liquid-phase, Loop reactor, Organic solvent, Oxygen transfer, 722
Bioreactor design
D-Amino acid oxidase, Catalase, *Triginopsis variabilis*, 7-ACA, Ceph C, 281
Biosensor
Chemiluminescence, Fiber-optic sensor, Flow injection analysis, Glucose, Hydrogen peroxide, Luminol, 407
Lactate, Milk, Bacteria, Flow injection analysis, 508
Biosensor system
Flow injection analysis, Glutamine, Glutamate, Glutaminase, Glutamate oxidase, Anion exchange resins, Mammalian cells, Insect cells, 26
Biosynthesis
Proteinase, *Penicillium*, 140 Rapamycin, Pipecolic acid, Immunosuppressant, *Streptomyces hygroscopicus*, 581
Biotransformation
Biocatalysis, Fermentation, Leukotriene receptor antagonist, Lipase, 575
Lamivudine (3TC), Immobilized cytidine deaminase, Enantiomeric resolution, 749
Pleurotus sajor-caju, Rice straw, Oil seed cake, Bioconversion, Biodegradation, Cellulase, Hemicellulase, Protease, *In vitro* dry matter enzymatic digestibility, 985
Bipolar membrane
Propionic acid, Electro-electrodialysis, 683
Bitterness
Casein, Enzymic hydrolysis, Trypsin, α-Chymotrypsin, Subtilisin, 974
Brewer's yeast
Electrofusion, Flow cytometer, Fusant, *Saccharomyces cerevisiae*, 959
Calcium alginate pore size
Size-exclusion chromatography, Protein penetration in alginate gels, 922
Calcium inhibition
Bacillus coagulans, α-Amylase, Cations, 1066
Calcium pectate gel beads
Enzyme thermistor, Cephalosporin transformation, *Trigonopsis variabilis*, Immobilized cells, Intrinsic kinetics, Effectiveness factor, 50
Candida lipolytica
Citric acid, Yeast, Organic acid, 646
Candida parapsilosis
Oxidoreductase, NADH, Batch conversion, Optically active hydroxyacid esters, 950
Candida rugosa
Lipase, E.C.3.1.1.3, Immobilization, Polypropylene supports, Enzyme aggregation, Kinetic parameters, 239
Capasaicinoids
Capsicum, Growth regulators, Elicitors, Immobilization, Response surface methodology, Optimization, 710
Capsicum
Growth regulators, Elicitors, Immobilization, Response surface methodology, Optimization, Capsaicinoids, 710
Carboxyl coupling
Agarose gel, Monoaminoethyl-N-aminoethyl structures, Protein immobilization, β-Galactosidase, 546
Carboxymethyl cellulase
Endoglucanase, *Cellulomonas flavigena*, Carboxymethyl cellulose, Polyacrylamide gel electrophoresis, CM-Cellulase, 586
Carboxymethyl cellulose
Endoglucanase, *Cellulomonas flavigena*, Carboxymethyl cellulase, Polyacrylamide gel electrophoresis, CM-Cellulase, 586
Carrageenase
Pseudomonas carrageenovora, Fermentor, 326
Casein
Enzymic hydrolysis, Trypsin, α-Chymotrypsin, Subtilisin, Bitterness, 974
Catalase
D-Amino acid oxidase, *Triginopsis variabilis*, Bioreactor design, 7-ACA, Ceph C, 281
Catalysis
Lipase, Transesterification, Enantiomerically pure compounds, 367
Catalytic antibodies
Immobilized antibodies, Site-specific immobilization, EPR spectroscopy, 916
Catalytic parameters
Glucoamylase, Invertase, Denaturation, Water-miscible solvents, 33
Cations
Bacillus coagulans, α-Amylase, Calcium inhibition, 1066
CD
Reverse micelles, α-Chymotrypsin, LADH, EPR, 383
Celite-immobilized lipase
Interesterification reaction, Palm oil midfraction, Reverse micelle, 438
Cell-adhesion protein
Protein-free cell culture, Immobiliza-

tion, Cell-growth protein, Coimmobilization, 167
Cell-growth protein
Protein-free cell culture, Immobilization, Cell-adhesion protein, Coimmobilization, 167
Cellobiose oxidase
Cellobiose: quinone oxidoreductase, Cellulose degradation, Lignin degradation, *Phanerochaete chrysosporium*, Cytochrome *b* reduction, FAD-enzyme, Heme enzyme, 1002
Cellobiose: quinone oxidoreductase
Cellobiose oxidase, Cellulose degradation, Lignin degradation, *Phanerochaete chrysosporium*, Cytochrome *b* reduction, FAD-enzyme, Heme enzyme, 1002
Cellulase
β-Glucosidase, *Clostridium thermocellum*, bglB gene, Anaerobic bacteria, Thermophiles, 393
Pleurotus sajor-caju, Rice straw, Oil seed cake, Bioconversion, Biotransformation, Biodegradation, Hemicellulase, Protease, *In vitro* dry matter enzymatic disgestibility, 985
Cellulase mechanism
Endoglucanase, *Trichoderma longibrachiatum*, 57
Cellulase recycling
Steam explosion, *Eucalyptus viminalis*, Cellulose hydrolysis, Adsorption, End-product inhibition, 19
Cellulases
Production, *T. reesei C-5*, Lactose, Batch and continuous cultures, 513
Trichoderma spp., *Trichoderma reesei*, Cellulose, Regulation, Secretion, 90
Cellulomonas fimi
Regulation, Purification, Xylanase, 990
Cellulomonas flavigena
Endoglucanase, Carboxymethyl cellulase, Carboxymethyl cellulose, Polyacrylamide gel electrophoresis, CM-Cellulase, 586
Cellulose
Cellulosic materials, Physical and chemical properties, Biocatalyst immobilization, Properties of immobilized biocatalysts, Solid phase mass transfer, Reactor engineering, 551
Trichoderma spp., *Trichoderma reesei*, Cellulases, Regulation, Secretion, 90
Cellulose degradation
Cellobiose oxidase, Cellobiose: quinone oxidoreductase, Lignin degradation, *Phanerochaete chrysosporium*, Cytochrome *b* reduction, FAD-enzyme, Heme enzyme, 1002
Cellulose hydrolysis
Steam explosion, *Eucalyptus viminalis*, Adsorption, Cellulase recycling, End-product inhibition, 19
Steam pretreatment, Fragmentation, Degree of polymerization, Crystallinity, 821
Cellulosic materials
Cellulose, Physical and chemical properties, Biocatalyst immobilization, Properties of immobilized biocatalysts, Solid phase mass transfer, Reactor engineering, 551
Central composite design
Thermomyces lanuginosus, Xylanase, Medium optimization, Solid-state culture, Submerged culture, 677
Schizophyllum commune, Xylanase, Medium optimization, 854
Cephalexin
Ampicillin, Cephaloglycine, Enzymatic synthesis, D-(−)-Phenylglycyl-β- lactamide amidohydrolase, 965
Cephaloglycine
Cephalexin, Ampicillin, Enzymatic synthesis, D-(−)-Phenylglycyl-β-lactamide amidohydrolase, 965
Cephalosporin transformation
Enzyme thermistor, *Trigonopsis variabilis*, Immobilized cells, Calcium pectate gel beads, Intrinsic kinetics, Effectiveness factor, 50
Ceph C
D-Amino acid oxidase, Catalase, *Triginopsis variabilis*, Bioreactor design, 7-ACA, 281
Chemiluminescence
Biosensor, Fiber-optic sensor, Flow injection analysis, Glucose, Hydrogen peroxide, Luminol, 407
Fiber optic, Glucose, Acetate exchanger, 424
Chemostat
Pseudomonas oleovorans, *n*-Octane, Poly(3-hydroxyalkanoates), High cell density, 311
Chiral drugs
Biocatalysis, Kinetic resolution, Enzymes in synthesis, 266
Chitinase
Fungal protoplasts, Purification, 412
Chloroperoxidase
Asphaltenes, Demetallation, Petroleum, Petroporphyrins, 429
Cholesterol
Mammalian cells, Adherent, Shear stress, 849
Citric acid
Yeast, Organic acid, *Candida lipolytica*, 646
Citrobacter freundii
Immobilization, Macroporous polystyrene polymers, Trimethylene glycol, 109
Clostridium thermocellum
β-Glucosidase, bglB gene, Cellulase, Anaerobic bacteria, Thermophiles, 393
Cloud point
Affinity precipitation, Hydrogels, Immobilized enzymes, Immunoassay, Lower critical solution temperature (LCST), Nonionic surfactants, Phase separation, Poly(*N*-isopropylacylamide), Poly(*N*-vinyl caprolactam), Protein purification, thermoreactive polymers, 354
CO2
Thiobacillus spp., Ferrous iron oxidation, Pyrite oxidation, 832
Coffee pulp
Aspergillus niger, Improved strains, Pectinases, Water activity, Solid-state fermentation, 254
Coimmobilization
Protein-free cell culture, Immobilization, Cell-growth protein, Cell-adhesion protein, 167
Confirmation
Reverse micelles, Lipase, Kinetics, Protein-membrane/interface interaction, 944
Conidiobolus coronatus
Alkaline protease, Detergent compatibility, 72
Constitutive
Escherichia coli, Penicillin acylase, β-Lactamase negative, Plasmid pUSAD2, *Pac* gene, DH5 cells, Optimization of enzyme production parameters, 6-Aminopenicillanic acid, Lactose broth, 1070
Continuous bioreactor
Oligopeptide synthesis, α-chymotrypsin, Proteinase K, Enzymes in organic solvent, 928
Continuous culture
Curve fitting, Secondary metabolism, Antibiotics, 657
Dihydrofolate reductase, Methotrexate, *Escherichia coli*, 652
Coumarin derivatives
Enzyme assays, Fluorogenic substrates, β-D-glucosidase, 742
Crystallinity
Steam pretreatment, Cellulose hydrolysis, Fragmentation, Degree of polymerization, 821
Curve fitting
Secondary metabolism, Antibiotics, Continuous culture, 547
Curvularia lunata
Rifamycin oxidase, Growing and resting cells, Rifamycin B, Rifamycin S, 1037
Cyclopentaneacetic acid esters
Enantioselective hydrolysis, Methyl jasmonate, Aspergillus niger, Aspergillus carbonarius, 818
Cytochrome
Organic solvents, Stability, 936
Cytochrome *b* reduction
Cellobiose oxidase, Cellobiose: quinone oxidoreductase, Cellulose degradation, Lignin degradation, *Phanerochaete chrysosporium*, FAD-enzyme, Heme enzyme, 1002
Cytochrome *c* Thiophenes, Sulfides, Enzymatic oxidation, 494
Cytochrome P450
Hollow fiber, Immobilization, 100

D-Amino acid oxidase
Catalase, *Triginopsis variabilis*, Bioreactor design, 7-ACA, Ceph C, 281
Deamidation
Peptide amidase, Orange fruit, Purification procedure, Substrate spectrum, 764
Degree of polymerization
Steam pretreatment, Cellulose hydrolysis, Fragmentation, Crystallinity, 821
Dehalogenase
Enantiomeric ratio, Kinetic resolution, Lipase, 1051
Demetallation
Asphaltenes, Chloroperoxidase, Petroleum, Petroporphyrins, 429

Denaturation
Catalytic parameters, Glucoamylase, Invertase, Water-miscible solvents, 33
Detergent compatibility
Alkaline protease, *Conidiobolus coronatus*, 72
Detergent permeabilization
Yeast, Intracellular enzymes, Analytical reagent, 796
Detergents
Protein stability, Protein engineering, Urea, Organic solvents, 286
Dextran
Agar, Diffusivity, Partition coefficient, Sucrose, 1057
Leuconostoc mesenteroides, Dextransucrase, 334
Dextransucrase
Dextran, *Leuconostoc mesenteroides*, 334
DH5 cells
Escherichia coli, Penicillin acylase, Constitutive, β-Lactamasenegative, Plasmid pUSAD2, *Pac* gene, Optimization of enzyme production parameters, 6-Aminopenicillanic acid, Lactose broth, 1070
D-Hydantoinase
Legume seeds, Grain legumes, Pulses, Peas, Beans, Dihydropyrimidinase, *Phaseoulus* sp., *Pisum* sp., 208
Diastereoselectivity
Bakers' yeast, Reduction, 2-hydroxy-2,6,6-trimethylcyclohexanone, 483
Diffusional effect
Maximum reaction rate, Michaelis constant, Apparent kinetic parameters, Immobilized enzyme, 150
Diffusivity
Agar, Dextran, Partition coefficient, Sucrose, 1057
Digestible energy
Bioprocessing, Hydrolysis, Fermentation, Hydroponic crops, Space, Harvest index, 899
Dihydrofolate reductase
Methotrexate, *Eschirichia coli*, Continuous culture, 652
Dihydropyrimidinase
Legume seeds, Grain legumes, Pulses, D-Hydantoinase, Peas, Beans, *Phaseoulus* sp., *Pisum* sp., 208
3,5-Dioxo-6-(benzyloxy) hexanoic acid
Stereoselective, Microbial reduction, Ethyl ester, HMG-CoA reductase inhibitor synthon, 1014
Direct force measurements Protein function, Recognition forces, Long-range attraction, Protein adsorption, 450
DL-*p*-Hydroxyphenylhydantoin
Enzymatic synthesis, D-*p*-Hydroxyphenylglycine, 530
Dominant gene
Saccharomyces cerevisiae, Industrial yeast, Amino acid analog, Transformation, Selective marker, 874
Downstream processing
Polygalacturonase, Ion-exchange equilibrium, Ion-exchange kinetics, 906
D-(−)-Phenylglycyl-β-lactamide amidohydrolase
Cephalexin, Ampicillin, Cephaloglycine, Enzymatic synthesis, 965
D-*p*-Hydroxyphenylglycine Enzymatic synthesis, DL-*p*-Hydroxyphenylhydantoin, 530

E. ashbyii
Protoplasts, Novozyme, Funcelase, *T. reesei*, *P. chrysogenum*, 699
E.C.3.1.1.3
Lipase, Immobilization, Polypropylene supports, Enzyme aggregation, Kinetic parameters, *Candida rugosa*, 239
EDTA
Ethanol, Yeast, Potassium ferrocyanide, Sodium potassium tartarate, 887
Effectiveness factor
Enzyme thermistor, Cephalosporin transformation, *Trigonopsis variabilis*, Immobilized cells, Calcium pectate gel beads, Intrinsic kinetics, 50
Substrate inhibition, Mixed culture, Wastewater treatment, 144
Effect of carbon
Enterobacter agglomerans, Microbial polysaccharide, Maple sap, Screening, Agitation rate, Effect of nitrogen, 500
Effect of nitrogen
Enterobacter agglomerans, Microbial polysaccharide, Maple sap, Screening, Agitation rate, Effect of carbon, 500
Electrically enhanced
Lipase, Oil, Hydrolysis, Fatty acids, High voltage, 293
Electro-electrodialysis
Propionic acid, Bipolar membrane, 683
Electro-enzymology
NAD^+ regeneration, Modified electrode, Immobilized mediator, Graphite with immobilized enzyme, 525
Electroporation
Xylanase cloning, Alkalophilic-thermophilic *Bacillus*, Homologous gene expression, Xylanase-negative mutant, 343
Electrofusion
Flow cytometer, Brewer's yeast, Fusant, *Saccharomyces cerevisiae*, 959
Elicitor
XAD-7, Tagetes patula, Thiophenes, Solid adsorbent, *Aspergillus niger*, Excretion, 670
Elicitors *Capsicum*, Growth regulators, Immobilization, Response surface methodology, Optimization, Capsaicinoids, 710
Enantiomerically pure compounds
Lipase, Transesterification, Catalysis, 367
Enantiomeric ratio
Kinetic resolution, Dehalogenase, Lipase, 1051
Enantiomeric resolution
Lamivudine (3TC), Biotransformation, Immobilized cytidine deaminase, 749
Enantioselective hydrolysis
Cyclopentaneacetic acid esters, Methyl jasmonate, Aspergillus niger, Aspergillus carbonarius, 818
Endoglucanase *Cellulomonas flavigena*, Carboxymethyl cellulase, Carboxymethyl cellulose, Polyacrylamide gel electrophoresis, CM-Cellulase, 586
Trichoderma longibrachiatum, Cellulase mechanism, 57
Endonucleases
Enzyme immobilization, Synthetic supports, Nylon, Polystyrene, 215
Endopolygalacturonase
Exopolygalacturonase, *Aspergillus niger*, Viscometry, Purification, 158
End-product inhibition
Steam explosion, *Eucalyptus viminalis*, Cellulose hydrolysis, Adsorption, Cellulase recycling, 19
Enterobacter agglomerans
Microbial polysaccharide, Maple sap, Screening, Agitation rate, Effect of carbon, Effect of nitrogen, 500
Enzymatic esterification
Jojoba oil, Fine chemicals, Factorial design, 607
Enzymatic hydrolysis and synthesis of peptides, esters, and amides
Fungal extracellular serine carboxypeptidase, 1042
Enzymatic oxidation
Cytochrome *c*, Thiophenes, Sulfides, 494
Enzymatic synthesis
Cephalexin, Ampicillin, Cephaloglycine, D-(−)-phenylglycyl-β-lactamide amidohydrolase, 965
D-*p*-Hydroxyphenylglycine, DL-*p*- Hydroxyphenylhydantoin, 530
Enzymatic transesterification
Supercritical carbon dioxide, Geraniol, Thermal stability, Lipase, Organic solvent, 691
Enzyme aggregation
Lipase, E.C.3.1.1.3, Immobilization, Polypropylene supports, Kinetic parameters, *Candida rugosa*, 239
Enzyme assays
Coumarin derivatives, Fluorogenic substrates, β-D-Glucosidase, 742
Enzyme deactivation
Lignin peroxidase, *Phanerochaete chrysosporium*, 567
Papain, Enzyme stability, Polyols, Series-type mechanism, 868
Enzyme immobilization
Endonucleases, Synthetic supports, Nylon, Polystyrene, 215
Glucoamylase, Glucose production, Pig bone, 229
Enzyme inhibitor
Yeast reduction, Allyl bromide, Stereochemical control, Ethyl(S)-3-hydroxypentanoate, 222
Enzymes in organic solvent
Continuous bioreactor, Oligopeptide synthesis, α-Chymotrypsin, Proteinase K, 928
Enzymes in synthesis Chiral drugs, Biocatalysis, Kinetic resolution, 266
Enzyme purification
White-rot fungus, Lignin peroxidase, Laccase, Manganese peroxidase, Isoenzymes, 664
Enzymes
Organic solvents, Mechanism, Subtilisin, Microscopic rate constants, Active site titration, 1022
Enzyme stability
Organic solvents, Beta-galactosidase, Polyhydroxy compounds, 881
Papain, Polyols, Enzyme deactivation, Series-type mechanism, 868
Enzyme thermistor Cephalosporin transformation, *Trigonopsis variabilis*, Immobilized cells, Calcium pectate gel beads,

Intrinsic kinetics, Effectiveness factor, 50
Enzymic hydrolysis
Casein, Trypsin, α-Chymotrypsin, Subtilisin, Bitterness, 974
Elicitation
Solanum eleagnifolium Cav., Immobilized cells, Solasodine production, 1074
EPR
Reverse micelles, α-Chymotrypsin, LADH, CD, 383
EPR spectroscopy
Catalytic antibodies, Immobilized antibodies, Site-specific immobilization, 916
Escherichia coli
Dihydrofolate reductase, Methotrexate, Continuous culture, 652
Molecular chaperones, Protein folding, Heat shock proteins, Recombinant DNA, 730
Penicillin acylase, Constitutive, β-Lactamase negative, Plasmid pUSAD2, *Pac* gene, DH5 cells, Optimization of enzyme production parameters, 6-Aminopenicillanic acid, Lactose broth, 1070
Esterification
Lipases, Immobilization, Transesterification, 133
Ester synthesis
Geotrichum candidum lipase, Organic solvents, Hydrolysis, 489
Ethanol
β-Glucosidase (EC 3.2.1.21), *Penicillium decumbens, Aspergillus niger, Saccharomyces cerevisiae,* Paper mill waste fiber, 62
Yeast, EDTA, Potassium ferrocyanide, Sodium potassium tartarate, 887
Ethyl ester
Stereoselective, Microbial reduction, 3,5-Dioxo-6-(benzyloxy) hexanoic acid, HMG-CoA reductase inhibitor synthon, 1014
Ethyl(S)-3-hydroxypentanoate
Yeast reduction, Allyl bromide, Enzyme inhibitor, Stereochemical control, 222
Eucalyptus viminalis
Steam explosion, Cellulose hydrolysis, Adsorption, Cellulase recycling, End-product inhibition, 19
Excretion
XAD-7, Tagetes patula, Thiophenes, Solid adsorbent, Elicitor, *Aspergillus niger,* 670
Exopolygalacturonase
Endopolygalacturonase, *Aspergillus niger,* Viscometry, Purification, 158
Extractive biocatalysis
Biocompatibility, Solvent selection, Log *P*, 114

Factorial design
Enzymatic esterification, Jojoba oil, Fine chemicals, 607
FAD-enzyme
Cellobiose oxidase, Cellobiose: quinone oxidoreductase, Cellulose degradation, Lignin degradation, *Phanerochaete chrysosporium,* Cytochrome *b* reduction, Heme enzyme, 1002
Fatty acids
Lipase, Oil, Hydrolysis, High voltage, Electrically enhanced, 293
Fed-batch glucose concentration
Saccharomyces cerevisiae, Recombinant protein, β-Galactosidase, 120
Fermentation
Bioprocessing, Digestible energy, Hydrolysis, Hydroponic crops, Space, Harvest index, 899
Biotransformation, Biocatalysis, Leukotriene receptor antagonist, Lipase, 575
Poly-β-hydroxybutyric acid, PHB, Biopolymer, Biodegradable polyester, *Alcaligenes eutrophus,* 401
Recombinant DNA, Heterologous expression, Protein fusion, Polyelectrolyte, Polyethyleneimine, Precipitation, Yeast, Secretion, 593
Fermentation monitoring
FMDV, Recombinant proteins, β-Galactosidase, Flow Injection Analysis (FIA), Gene expression, 66
Fermentor
Alginate lyase, *Klebsiella aerogenes,* Protoplast, 756
Carrageenase, *Pseudomonas carrageenovora,* 326
Ferrous iron oxidation
Thiobacillus spp., CO2, Pyrite oxidation, 832
Ferulic acid esterase
Acetyl xylan esterase, *p*-Coumaric acid esterase, Production, Properties, Xylan degradation, Applications, 460
Fiber optic
Chemiluminescence, Glucose, Acetate exchanger, 424
Fiber-optic sensor
Biosensor, Chemiluminescence, Flow injection analysis, Glucose, Hydrogen peroxide, Luminol, 407
Fine chemicals
Enzymatic esterification, Jojoba oil, Factorial design, 607
Flavobacterium
Streptomyces, Azo dye, Biodegradation, Peroxidase, 810
Flow cytometer
Electrofusion, Brewer's yeast, Fusant, *Saccharomyces cerevisiae,* 959
Flow injection analysis
Biosensor, Chemiluminescence, Fiber-optic sensor, Glucose, Hydrogen peroxide, Luminol, 407
Biosensor system, Glutamine, Glutamate, Glutaminase, Glutamate oxidase, Anion exchange resins, Mammalian cells, Insect cells, 26
Lactate, Milk, Bacteria, Biosensor, 508
Flow Injection Analysis (FIA) FMDV, Recombinant proteins, β-Galactosidase, Fermentation monitoring, Gene expression, 66
Fluorogenic substrates
Coumarin derivatives, Enzyme assays, β-D-Glucosidase, 742
5-Fluorouracil-resistant mutant
Riboflavin, Antagonist action, *Arthrobacter* sp., 877
FMDV
Recombinant proteins, β-Galactosidase, Flow Injection Analysis (FIA), Fermentation monitoring, Gene expression, 66
Fragmentation
Steam pretreatment, Cellulose hydrolysis, Degree of polymerization, Crystallinity, 821
Funcelase
Protoplasts, Novozyme, *E. ashbyii, T. reesei, P. chrysogenum,* 699
Fungal enzymes
β-Glucanases, Regulation, Purification, Properties, β-Glucans, 178
Fungal extracellular serine carboxypeptidase
Enzymatic hydrolysis and synthesis of peptides, esters, and amides, 1042
Fungal protoplasts
Chitinase, Purification, 412
Fusants
Electrofusion, Flow cytometer, Brewer's yeast, *Saccharomyces cerevisiae,* 959

Galactose
β-Galactosidase, Noncompetitive inhibition, 297
Tagatose, Glucose isomerase, L-arabinose-ketol-isomerase, *Lactobacillus gayonii,* 105
Gas stripping
Acetone-butanol fermentation, Immobilized cells, 200
Gene expression
FMDV, Recombinant proteins, β-Galactosidase, Flow Injection Analysis (FIA), Fermentation monitoring, 66
Immobilization, *Pencillium,* Penicillin production, 2
Geotrichum candidum lipase
Organic solvents, Hydrolysis, Ester synthesis, 489
Geraniol
Supercritical carbon dioxide, Enzymatic transesterification, Thermal stability, Lipase, Organic solvent, 691
Glucoamylase
Catalytic parameters, Invertase, Denaturation, Water-miscible solvents, 33
Enzyme immobilization, Glucose production, Pig bone, 229
Glucose
Biosensor, Chemiluminescence, Fiber-optic sensor, Flow injection analysis, Hydrogen peroxide, Luminol, 407
Fiber optic, Chemiluminescence, Acetate exchanger, 424
Glucose isomerase
Galactose, Tagatose, L-Arabinose-ketol-isomerase, *Lactobacillus gayonii,* 105
Glucose production
Enzyme immobilization, Glucoamylase, Pig bone, 229
Glucose/xylose isomerase
Subunit dissociation, *Streptomyces,* Inactive dimer, 155
Glucosyltransferase
Alternansucrase, *Leuconostoc mesenteroides,* 77
Glutamate
Biosensor system, Flow injection analysis, Glutamine, Glutaminase, Glutamate oxidase, Anion exchange resins, Mammalian cells, Insect cells, 26
Glutamate oxidase
Biosensor system, Flow injection analy-

sis, Glutamine, Glutamate, Glutaminase, Anion exchange resins, Mammalian cells, Insect cells, 26
Glutaminase
Biosensor system, Flow injection analysis, Glutamine, Glutamate, Glutamate oxidase, Anion exchange resins, Mammalian cells, Insect cells, 26
Glutamine
Biosensor system, Flow injection analysis, Glutamate, Glutaminase, Glutamate oxidase, Anion exchange resins, Mammalian cells, Insect cells, 26
Grain legumes
Legume seeds, Pulses, D-Hydantoinase, Peas, Beans, Dihydropyrimidinase, *Phaseoulus* sp., *Pisum* sp., 208
Granulation
UASB reactor, Thermophilic, Acetate degrading, Magnesium, 304
Graphite with immobilized enzyme NAD^+ regeneration, Modified electrode, Immobilized mediator, Electro-enzymology, 525
Growing and resting cells
Curvularia lunata, Rifamycin oxidase, Rifamycin B, Rifamycin S, 1037
Growth regulators
Capsicum, Elicitors, Immobilization, Response surface methodology, Optimization, Capsaicinoids, 710

H2 formation
Klebsiella pneumoniae, Reducing equivalents, 1,3-propanediol, Stoichiometry, Pathway analysis, Hydrogenase, 770
Harvest index
Bioprocessing, Digestible energy, Hydrolysis, Fermentation, Hydroponic crops, Space, 899
Heat shock protein
Molecular chaperones, Protein folding, Recombinant DNA, *Escherichia coli*, 730
Heme enzyme
Cellobiose oxidase, Cellobiose: quinone oxidoreductase, Cellulose degradation, Lignin degradation, *Phanerochaete chrysosporium*, Cytochrome *b* reduction, FAD-enzyme, 1002
Hemicellulase
Pleurotus sajor-caju, Rice straw, Oil seed cake, Bioconversion, Biotransformation, Biodegradation, Cellulase, Protease, *In vitro* dry matter enzymatic digestibility, 985
Heterologous expression
Recombinant DNA, Protein fusion, Fermentation, Polyelectrolyte, Polyethyleneimine, Precipitation, Yeast, Secretion, 593
High cell density
Pseudomonas oleovorans, *N*-octane, Chemostat, Poly(3-hydroxyalkanoates), 311
High-quality acrylamide
Stabilization, Nitrile hydratase, *n*-Butyric acid, Bench-scale reactor, 979
High voltage
Lipase, Oil, Hydrolysis, Fatty acids, Electrically enhanced, 293
HMG-CoA reductase inhibitor synthon
Stereoselective, Microbial reduction, 3,5-Dioxo-6-(benzyloxy) hexanoic acid, Ethyl ester, 1014
Hollow fiber
Cytochrome P450, Immobilization, 100
Homologous gene expression
Xylanase cloning, Alkalophilic-thermophilic *Bacillus*, Xylanase-negative mutant, Electroporation, 343
Hydrodynamic stress
Plant cell culture, Impeller-stirred bioreactor, Review, 234
Hydrogels
Affinity precipitation, Cloud point, Immobilized enzymes, Immunoassay, Lower critical solution temperature (LCST), Nonionic surfactants, Phase separation, Poly(*N*-isopropylacylamide), Poly(*N*-vinyl caprolactam), Protein purification, thermoreactive polymers, 354
Hydrogenase
Klebsiella pneumonaie, H_2 formation, Reducing equivalents, 1,3-Propanediol, Pathway analysis, Hydrogenase, 770
Hydrogen peroxide
Biosensor, Chemiluminescence, Fiber-optic sensor, Flow injection analysis, Glucose, Luminol, 407
Hydrolysis
Geotrichum candidum lipase, Organic solvents, Ester synthesis, 489
Lipase, Oil, Fatty acids, High voltage, Electrically enhanced, 293
Bioprocessing, Digestible energy, Fermentation, Hydroponic crops, Space, Harvest index, 899
Hydrolytic enzymes
Tomato waste, Anaerobic microbial digestion, 339
Hydrophilicity
Trichoderma reesei, Immobilization, Irradiation technique, Adhesion, 300
Hydroponic crops
Bioprocessing, Digestible energy, Hydrolysis, Fermentation, Space, Harvest index, 899
2-Hydroxy-2,6,6-trimethylcyclohexanone
Bakers' yeast, Reduction, Diastereoselectivity, 483

Immobilization
α-Amylase, *M. thermophila* D-14, 801
Capsicum, Growth regulators, Elicitors, Response surface methodology, Optimization, Capsaicinoids, 710
Cytochrome P450, Hollow fiber, 100
Intracellular enzyme, Production, Protoplasts, 791
Lipase, E.C.3.1.1.3, Polypropylene supports, Enzyme aggregation, Kinetic parameters, *Candida rugosa*, 239
Lipases, Transesterification, Esterification, 133
Macroporous polystyrene polymers, *Citrobacter freundii*, Trimethylene glycol, 109
Penicillium, Pencillin production, Gene expression, 2
Protein-free cell culture, Cell-growth protein, Cell-adhesion protein, Coimmobilization, 167
Saccharomyces cerevisiae, Invertase, Acid phosphatase, 42
Trichoderma reesei, Irradiation technique, Adhesion, Hydrophilicity, 300
Xylose isomerase, Xylulose, *Lactobacillus brevis*, Spent sulfite liquor, 321
Immobilized antibodies
Catalytic antibodies, Site-specific immobilization, EPR spectroscopy, 916
Immobilized cells
Acetone-butanol fermentation, Gas stripping, 200
Enzyme thermistor, Cephalosporin transformation, *Trigonopsis variabilis*, Calcium pectate gel beads, Intrinsic kinetics, Effectiveness factor, 50
Solanum eleagnifolium Cav., Solasodine production, Elicitation, 1074
Immobilized cytidine deaminase
Lamivudine (3TC), Biotransformation, Enantiomeric resolution, 749
Immobilized enzyme
Maximum reaction rate, Michaelis constant, Apparent kinetic parameters, Diffusional effect, 150
Poly(N-isopropylacrylamide), Temperature-sensitive hydrogel, Beta-galactosidase, Thermal cycling operation, 476
Immobilized enzymes
Affinity precipitation, Cloud point, Hydrogels, Immunoassay, Lower critical solution temperature (LCST), Nonionic surfactants, Phase separation, Poly(*N*-isopropylacylamide), Poly(*N*-vinyl caprolactam), Protein purification, thermoreactive polymers, 354
Immobilized hydrolases
Poly-HEMA hydrogels, Water-organic solvent systems, Stabilization, Reaction yield, 861
Immobilized mediator
NAD^+ regeneration, Modified electrode, Electro-enzymology, Graphite with immobilized enzyme, 525
Immunoassay
Affinity precipitation, Cloud point, Hydrogels, Immobilized enzymes, Lower critical solution temperature (LCST), Nonionic surfactants, Phase separation, Poly(*N*-isopropylacylamide), Poly(*N*-vinyl caprolactam), Protein purification, thermoreactive polymers, 354
Immunosuppressant
Rapamycin, Pipecolic acid, Biosynthesis, *Streptomyces hygroscopicus*, 581
Impeller-stirred bioreactor
Hydrodynamic stress, Plant cell culture, Review, 234
Improved strains
Aspergillus niger, Pectinases, Water activity, Solid-state fermentation, Coffee pulp, 254
Inactivation
Oxygen scavengers, Oxygen radicals, 8
Inactive dimer
Glucose/xylose isomerase, Subunit dissociation, *Streptomyces*, 155
Industrial yeast
Saccharomyces cerevisiae, Amino acid analog, Transformation, Dominant gene, Selective marker, 874
Insect cells
Biosensor system, Flow injection analysis, Glutamine, Glutamate, Glutaminase, Glutamate oxidase, Anion exchange resins, Mammalian cells, 26

Interesterification reaction
Palm oil midfraction, Celite-immobilized lipase, Reverse micelle, 438
Intracellular enzyme
Production, Protoplasts, Immobilization, 791
Intracellular enzyme extraction
Kluyveromyces, β-D-Galactosidase, Solvent treatment, 1063
Intracellular enzymes
Yeast, Detergent permeabilization, Analytical reagent, 796
Intrinsic kinetics
Enzyme thermistor, Cephalosporin transformation, *Trigonopsis variabilis*, Immobilized cells, Calcium pectate gel beads, Effectiveness factor, 50
Invertase
Catalytic parameters, Glucoamylase, Denaturation, Water-miscible solvents, 33
Immobilization, *Saccharomyces cerevisiae*, Acid phosphatase, 42
In vitro dry matter enzymatic digestibility
Pleurotus sajor-caju, Rice straw, Oil seed cake, Bioconversion, Biotransformation, Biodegradation, Cellulase, Hemicellulase, Protease, 985
Ion-exchange equilibrium
Polygalacturonase, Ion-exchange kinetics, Downstream processing, 906
Ion-exchange kinetics
Polygalacturonse, Ion-exchange equilibrium, Downstream processing, 906
Iron-binding protein Recombinant DNA, Site-directed mutagenesis, T7 vectors, Western detection, 193
Irradiation technique
Trichoderma reesei, Immobilization, Adhesion, Hydrophilicity, 300
Isoenzymes
White-rot fungus, Lignin peroxidase, Laccase, Manganese peroxidase, Enzyme purification, 664
Isolation
Ribonuclease, *Trichoiderma*, 687
Isooctane
Pseudomonas putida 3SK, Lipase, Two-phase biocatalysis, 617

Jojoba oil
Enzymatic esterification, Fine chemicals, Factorial design, 607

Kinetic parameters
Lipase, E.C.3.1.1.3, Immobilization, Polypropylene supports, Enzyme aggregation, *Candida rugosa*, 239
Kinetic resolution
Chiral drugs, Biocatalysis, Enzymes in synthesis, 266
Enantiomeric ratio, Dehalogenase, Lipase, 1051
Kinetics
Reverse micelles, Lipase, Conformation, Protein-membrane/interface interaction, 944
Klebsiella aerogenes
Alginate lyase, Fermentor, Protoplast, 756
Klebsiella pneumoniae
H_2 formation, Reducing equivalents, 1,3-propanediol, Stoichiometry, Pathway analysis, Hydrogenase, 770
Kluyveromyces
β-D-Galactosidase, Intracellular enzyme extraction, Solvent treatment, 1063
Kluyveromyces marxianus
Whey hydrolysis, Proteinases, Alcalase, Peptides, 418

Laccase
White-rot fungus, Lignin peroxidase, Manganese peroxidase, Isoenzymes, Enzyme purification, 664
Lactate
Milk, Bacteria, Biosensor, Flow injection analysis, 508
Lactobacillus brevis
Xylose isomerase, Xylulose, Immobilization, Spent sulfite liquor, 321
Lactobcillus gayonii
Galactose, Tagatose, Glucose isomerase, L-Arabinose-ketol-isomerase, 105
Lactose
Cellulases, Production, *T. reesei C-5*, Batch and continuous cultures, 513
Lactose broth
Escherichia coli, Penicillin acylase, Constitutive, β-Lactamase negative, Plasmid pUSAD2, *Pac* gene, DH5 cells, Optimization of enzyme production parameters, 6-Aminopenicillanic acid, 1070
LADH
Reverse micelles, α-Chymotrypsin, EPR, CD, 383
Lamivudine (3TC)
Biotransformation, Immobilized cytidine deaminase, Enantiomeric resolution, 749
L-Arabinose-ketol-isomerase
Galactose, Tagatose, Glucose isomerase, *Lactobcillus gayonii*, 105
Legume seeds
Grain legumes, Pulses, D-hydantoinase, Peas, Beans, Dihydropyrimidinase, *Phaseoulus* sp., *Pisum* sp., 208
Leuconostoc mesenteroides
Alternansucrase, Glucosyltransferase, 77
Dextran, Dextransucrase, 334
Leukotriene receptor antagonist
Biotransformation, Biocatalysis, Fermentation, Lipase, 575
Lignin degradation
Cellobiose oxidase, Cellobiose: quinone oxidoreductase, Cellulose degradation, *Phanerochaete chrysosporium*, Cytochrome *b* reduction, FAD-enzyme, Heme enzyme, 1002
Pleurotus ostreatus, Solid-state fermentation, Perlite, Mineralization, 785
Lignin peroxidase
Enzyme deactivation, *Phanerochaete chrysosporium*, 567
White-rot fungus, Laccase, Manganese peroxidase, Isoenzymes, Enzyme purification, 664
Lipase
Alcoholysis, Polyunsaturated fatty acids, 601
Biotransformation, Biocatalysis, Fermentation, Leukotriene receptor antagonist, 575
E.C.3.1.1.3, Immobilization, Polypropylene supports, Enzyme aggregation, Kinetic parameters, *Candida rugosa*, 239
Enantiomeric ratio, Kinetic resolution, Dehalogenase, 1051
Oil, Hydrolysis, Fatty acids, High voltage, Electrically enhanced, 293
Pseudomonas putida 3SK, Isooctane, Two-phase biocatalysis, 617
Reverse micelles, Kinetics, Conformation, Protein-membrane/interface interaction, 944
Supercritical carbon dioxide, Enzymatic transesterification, Geraniol, Thermal stability, Organic solvent, 691
Transesterification, Catalysis, Enantiomerically pure compounds, 367
Lipases
Immobilization, Transesterification, Esterification, 133
Pseudomonas, Triacylglycerols, 634
Lipid hydrolysis
Pseudomonas putida 3SK, Organic solvent, Two-phase system, 612
Log P
Biocompatibility, Solvent selection, Extractive biocatalysis, 114
Long-range attraction
Protein function, Direct force measurements, Recognition forces, Protein adsorption, 450
Loop reactor
Two-liquid-phase, Bioreactor, Organic solvent, Oxygen transfer, 722
Lower critical solution temperature (LCST)
Affinity precipitation, Cloud point, Hydrogels, Immobilized enzymes, Immunoassay, Nonionic surfactants, Phase separation, Poly(*N*- isopropylacylamide), Poly(*N*-vinyl caprolactam), Protein purification, thermoreactive polymers, 354
Low molecular weight
Myrothecium verrucaria, Solid-state cultivation, Xylans, Xylanase, 535
Low-water organic solvents
Nonaqueous environments, Reversed micelles, Mushroom tyrosinase, 1030
Luminol
Biosensor, Chemiluminescence, Fiber-optic sensor, Flow injection analysis, Glucose, Hydrogen peroxide, 407

Macroporous polystyrene polymers
Immobilization, *Citrobacter freundii*, Trimethylene glycol, 109
Magnesium
UASB reactor, Thermophilic, Acetate degrading, Granulation, 304
Mammalian cells
Adherent, Shear stress, Cholesterol, 849
Biosensor system, Flow injection analysis, Glutamine, Glutamate, Glutaminase, Glutamate oxidase, Anion exchange resins, Insect cells, 26
Manganese peroxidase
White-rot fungus, Lignin peroxidase, Laccase, Isoenzymes, Enzyme purification, 664
Maple sap
Enterobacter agglomerans, Microbial polysaccharide, Screening, Agitation rate, Effect of carbon, Effect of nitrogen, 500

Maximum reaction rate
Michaelis constant, Apparent kinetic parameters, Immobilized enzyme, Diffusional effect, 150
Mechanism
Enzymes, Organic solvents, Subtilisin, Microscopic rate constants, Active site titration, 1022
Medium optimization
Thermomyces languinosus, Xylanase, Central composite design, Solid-state culture, Submerged culture, 677
Schizophyllum commune, Xylanase, Central composite design, 854
Mesophilic streptomycete
Actinomycete xylanases, Xylanase isoenzymes, Xylan solubility, 13
Methotrexate
Dihydrofolate reductase, *Eschirichia coli*, Continuous culture, 652
Methyl jasmonate
Enantioselective hydrolysis, Cyclopentaneacetic acid esters, Aspergillus niger, Aspergillus carbonarius, 818
Michaelis constant
Maximum reaction rate, Apparent kinetic parameters, Immobilized enzyme, Diffusional effect, 150
Microbial polysaccharide
Enterobacter agglomerans, Maple sap, Screening, Agitation rate, Effect of carbon, Effect of nitrogen, 500
Microbial reduction
Stereoselective, 3,5-Dioxo-6-(benzyloxy) hexanoic acid, Ethyl ester, HMG-CoA reductase inhibitor synthon, 1014
Microscopic rate constants
Enzymes, Organic solvents, Mechanism, Subtilisin, Active site titration, 1022
Milk
Lactate, Bacteria, Biosensor, Flow injection analysis, 508
Mineralization
Pleurotus ostreatus, Solid-state fermentation, Lignin degradation, Perlite, 785
Mixed culture
Effectiveness factor, Substrate inhibition, Wastewater treatment, 144
Model discrimination
SCL graph, Steady states, Multiplicity, 162
Modified electrode
NAD^+regeneration, Immobilized mediator, Electro-enzymology, Graphic with immobilized enzyme, 525
Molecular chaperones
Protein folding, Heat shock proteins, Recombinant DNA, *Escherichia coli*, 730
Monoamineoethyl-N-aminoethyl structures
Agarose gel, Protein immobilization, Carboxyl coupling, β-Galactosidase, 546
M. Thermophilia D-14
α-Amylase, Immobilization, 801
Mucor miehei
Rennet, Acid protease, Rate of substrate consumption, 1009
Multiplicity
SCL graph, Steady states, Model discrimination, 162
Mushroom
Tyrosinase, Protease, Phenols, Quality, *Agaricus*, 736
Mushroom tyrosinase
Nonaqueous environments, Reversed micelles, Low-water organic solvents, 1030
Mutagenesis
Pullularia pullulans, Pullulan, 317
Myrothecium verrucaria
Solid-state cultivation, Xylans, Xylanase, Low molecular weight, 535

NADH
Candida parapsilosis, Oxidoreductase, Batch conversion, Optically active hydroxyacid esters, 950
NAD^+ regeneration
Modified electrode, Immobilized mediator, Electro-enzymology, Graphic with immobilized enzyme, 525
n-Butyric acid
Stabilization, Nitrile hydratase, High-quality acrylamide, Bench-scale reactor, 979
Nitrile hydratase
Stabilization, *n*-Butyric acid, High-quality acrylamide, Bench-scale reactor, 979
n-Octane
Pseudomonas oleovorans, Chemostat, Poly(3-hydroxyalkanoates), High cell density, 311
Nonaqueous environments
Reversed micelles, Low-water organic solvents, Mushroom tyrosinase, 1030
Noncompetitive inhibition
β-Galactosidase, Galactose, 297
Nonionic surfactants
Affinity precipitation, Cloud point, Hydrogels, Immobilized enzymes, Immunoassay, Lower critical solution temperature (LCST), Phase separation, Poly(*N*-isopropylacylamide), Poly(*N*-vinyl caprolactam), Protein purification, thermoreactive polymers, 354
Novozyme
Protoplasts, Funcelase, *E. ashbyii*, *T. reesei*, *P. chrysogenum*, 699
Nylon
Enzyme immobilization, Endonucleases, Synthetic support, Polystyrene, 215

Oil
Lipase, Hydrolysis, Fatty acids, High voltage, Electrically enhanced, 293
Oil seed cake
Pleurotus sajor-caju, Rice straw, Bioconversion, Biotransformation, Biodegradation, Cellulase, Hemicellulase, Protease, *In vitro* dry matter enzymatic digestibility, 985
Oligopeptide synthesis
Continuous bioreactor, α-chymotrypsin, Proteinase K, Enzymes in organic solvent, 928
Optically active hydroxyacid esters
Candida parapsilosis, Oxidoreductase, NADH, Batch conversion, 950
Optimization
Capsicum, Growth regulators, Elicitors, Immobilization, Response surface methodology, Capsaicinoids, 710
Optimization of enzyme production parameters
Escherichia coli, Penicillin acylase, Constitutive, β-Lactamase negative, Plasmid pUSAD2, *Pac* gene, DH5 cells, 6-Aminopenicillanic acid, Lactose broth, 1070
Orange fruit
Peptide amidase, Deamidation, Purification procedure, Substrate spectrum, 764
Organic acid
Citric acid, Yeast, *Candida* lipolytica, 646
Organic solvent
Pseudomonas putida 3SK, Two-phase system, Lipid hydrolysis, 612
Supercritical carbon dioxide, Enzymatic transesterification, Geraniol, Thermal stability, Lipase, 691
Two-liquid-phase, Bioreactor, Loop reactor, Oxygen transfer, 722
Organic solvents
Cytochrome, Stability, 936
Enzymes, Mechanism, Subtilisin, Microscopic rate constants, Active site titration, 1022
Enzyme stability, β-Galactosidase, Polyhydroxy compounds, 881
Geotrichum candidum lipase, Hydrolysis, Ester synthesis, 489
Protein stability, Protein engineering, Detergents, Urea, 286
Oxidoreductase
Candida parapsilosis, NADH, Batch conversion, Optically active hydroxyacid esters, 950
Oxygen radicals
Oxygen scavengers, Inactivation, 8
Oxygen scavengers
Inactivation, Oxygen radicals, 8
Oxygen transfer
Two-liquid-phase, Bioreactor, Loop reactor, Organic solvent, 722

Pac gene
Escherichia coli, Penicillin acylase, Constitutive, β-Lactamase negative, Plasmid pUSAD2, DH5 cells, Optimization of enzyme production parameters, 6-Aminopenicillanic acid, Lactose broth, 1070
Packed-bed reactor Safranal, Picrocrocin, β-Glucosidase, 780
Palm oil midfraction
Interesterification reaction, Celite-immobilized lipase, Reverse micelle, 438
Papain
Enzyme stability, Polyols, Enzyme deactivation, Series-type mechanism, 868
Paper mill waste fiber
β-Glucosidase (EC 3.2.1.21), Ethanol, *Penicillium decumbens*, Aspergillus niger, *Saccharomyces cerevisiae*, 62
Partition coefficient
Agar, Dextran, Diffusivity, Sucrose, 1057
Pathway analysis
Klebsiella pneumoniae, H_2 formation, Reducing equivalents, 1,3-propanediol, Stoichiometry, Hydrogenase, 770
P. chrysogenum
Protoplasts, Novozyme, Funcelase, *E. ashbyii*, *T. reesei*, 699
p-Coumaric acid esterase
Acetyl xylan esterase, Ferulic acid esterase, Production, Properties, Xylan degradation, Applications, 460

Peas
Legume seeds, Grain legumes, Pulses, D-Hydantoinase, Beans, Dihydropyrimidinase, *Phaseoulus* sp., *Pisum* sp., 208
Pectinases
Aspergillus niger, Improved strains, Water activity, Solid-state Fermentation, Coffee pulp, 254
Penicillin acylase
Escherichia coli, Constitutive, β-Lactamase negative, Plasmid pUSAD2, *Pac* gene, DH5 cells, Optimization of enzyme production parameters, 6-Aminopenicillanic acid, Lactose broth, 1070
Penicillin production
Immobilization, *Pencillium*, Gene expression, 2
Penicillium
Immobilization, Pencillin production, Gene expression, 2
Proteinase, Biosynthesis, 140
Penicillium decumbens
β-Glucosidase (EC 3.2.1.21), Ethanol, *Aspergillus niger*, *Saccharomyces cerevisiae*, Paper mill waste fiber, 62
Peptide amidase
Deamidation, Orange fruit, Purification procedure, Substrate spectrum, 764
Peptides
Whey hydrolysis, Proteinases, Alcalase, *Kluyveromyces marxianus*, 418
Perlite
Pleurotus ostreatus, Solid-state fermentation, Lignin degradation, Mineralization, 784
Peroxidase
Flavobacterium, Streptomyces, Azo dye, Biodegradation, 810
Petroleum
Asphaltenes, Chloroperoxidase, Demetallation, Petroporphyrins, 429
Petroporphyrins
Asphaltenes, Chloroperoxidase, Demetallation, Petroleum, 429
Phanerochaete chrysosporium
Cellobiose oxidase, Cellobiose: quinone oxidoreductase, Cellulose degradation, Lignin degradation, Cytochrome *b* reduction, FAD-enzyme, Heme enzyme, 1002
Enzyme deactivation, Lignin peroxidase, 567
Phaseoulus sp.
Legume seeds, Grain legumes, Pulses, D-Hydantoinase, Peas, Beans, Dihydropyrimidinase, *Pisum* sp., 208
Phase separation
Affinity precipitation, Cloud point, Hydrogels, Immobilized enzymes, Immunoassay, Lower critical solution temperature (LCST), Nonionic surfactants, Poly(*N*-isopropylacylamide), Poly(*N*-vinyl caprolactam), Protein purification, thermoreactive polymers, 354
PHB
Poly-β-hydroxybutyric acid, Biopolymer, Biodegradable polyester, *Alcaligenes eutrophus*, Fermentation, 401
Picocrocin
Safranal, β-Glucosidase, Packed-bed reactor, 780
Phenols
Tyrosinase, Protease, Quality, *Agaricus*, Mushroom, 736
Physical and chemical properties
Cellulose, Cellulosic materials, Biocatalyst immobilization, Properties of immobilized biocatalysts, Solid phase mass transfer, Reactor engineering, 551
Pig bone
Enzyme immobilization, Glucoamylase, Glucose production, 229
Pipecolic acid
Rapamycin, Biosynthesis, Immunosuppressant, *Streptomyces hygroscopicus*, 581
Pisum sp.
Legume seeds, Grain legumes, Pulses, D-Hydantoinase, Peas, Beans, Dihydropyrimidinase, *Phaseoulus* sp., 208
P. janthinellum
Xylanase, Sugar cane bagasse, 248
Plant cell culture
Hydrodynamic stress, Impeller-stirred biorector, Review, 234
Plasmid pUSAD2
Escherichia coli, Penicillin acylase, Constitutive, β-Lactamase negative, *Pac* gene, DH5 cells, Optimization of enzyme production parameters, 6-Aminopenicillanic acid, Lactose broth, 1070
Pleurotus ostreatus
Solid-state fermentation, Lignin degradation, Perlite, Mineralization, 785
Pleurotus sajor-caju
Rice straw, Oil seed cake, Bioconversion, Biotransformation, Biodegradation, Cellulase, Hemicellulase, Protease, *In vitro* dry matter enzymatic digestibility, 985
Polyacrylamide gel electrophoresis
Endoglucanase, *Cellulomonas flavigena*, Carboxymethyl cellulase, Carboxymethyl cellulose, CM-cellulase, 586
Poly(3-hydroxyalkanoates)
Pseudomonas oleovorans, n-Octane, Chemostat, High cell density, 311
Poly-β-hydroxybutyric acid
PHB, Biopolymer, Biodegradable polyester, Alcaligenes eutrophus, Fermentation, 401
Polyelectrode
Recombinant DNA, Heterologous expression, Protein fusion, Fermentation, Polyethyleneimine, Precipitation, Yeast, Secretion, 593
Polyethyleneimine
Recombinant DNA, Heterologous expression, Protein fusion, Fermentation, Polyelectrode, Precipitation, Yeast, Secretion, 593
Polygalacturonase
Ion-exchange equilibrium, Ion-exchange kinetics, Downstream processing, 906
Poly-HEMA hydrogels
Immobilized hydrolases, Water-organic solvent systems, Stabilization, Reaction yield, 861
Polyhydroxy compounds
Enzyme stability, Organic solvents, β-galactosidase, 881
Poly(*N*-isopropylacylamide)
Affinity precipitation, Cloud point, Hydrogels, Immobilized enzymes, Immunoassay, Lower critical solution temperature (LCST), Nonionic surfactants, Phase separation, Poly(*N*-vinyl caprolactam), Protein purification, thermoreactive polymers, 354
Temperature-sensitive hydrogel, Immobilized enzyme, β-Galactosidase, Thermal cycling operation, 476
Poly(*N*-vinyl caprolactam)
Affinity precipitation, Cloud point, Hydrogels, Immobilized enzymes, Immunoassay, Lower critical solution temperature (LCST), Nonionic surfactants, Phase separation, Poly(*N*-isopropylacylamide), Protein purification, thermoreactive polymers, 354
Polyols
Papain, Enzyme stability, Enzyme deactivation, Series-type mechanism, 868
Polypropylene supports
Lipase, E.C.3.1.1.3, Immobilization, Enzyme aggregation, Kinetic parameters, *Candida rugosa*, 239
Polystyrene
Enzyme immobilization, Endonucleases, Synthetic support, Nylon, 215
Polyunsaturated fatty acids
Lipase, Alcoholysis, 601
Potassium ferrocyanide
Ethanol, Yeast, EDTA, Sodium potassium tartarate, 887
Precipitation
Recombinant DNA, Hetereologous expression, Protein fusion, Fermentation, Polyelectrolyte, Polyethyleneimine, Yeast, Secretion, 593
Production
Acetyl xylan esterase, Ferulic acid esterase, *p*-Coumaric esterase, Properties, Xylan degradation, Applications, 460
Intracellular enzyme, Protoplasts, Immobilization, 791
1,3-propanediol
Klebsiella pneumoniae, H_2 formation, Reducing equivalents, Stoichiometry, Pathway analysis, Hydrogenase, 770
Properties
Acetyl xylan esterase, Ferulic acid esterase, *p*-Coumaric acid, Production, Xylan degradation, Applications, 460
β-Glucanases, Fungal enzymes, Regulation, Purification, β-Glucans, 178
Properties of immobilized biocatalysts
Cellulose, Cellulosic materials, Physical and chemical properties, Biocatalyst immobilization, Solid phase mass transfer, Reactor engineering, 551
Propionic acid
Bipolar membrane, Electro-electrodialysis, 683
Protease
Pleurotus sajor-caju, Rice straw, Oil seed cake, Bioconversion, Bioransformation, Biodegradation, Cellulase, Hemicellulase, *In vitro* dry matter enzymatic digestibility, 985
Tyrosinase, Phenols, Quality, *Agaricus*, Mushroom, 736
Proteinase
Penicillium, Biosynthesis, 140 *Trichoderma koningii*, Purification, Affinity chromatography, 624
Proteinase K
Continuous bioreactor, Oligopeptide synthesis, α-Chymotrypsin, Enzymes in organic solvent, 928

Proteinases Whey hydrolysis, Alcalase, Peptides, *Kluyveromyces marxianus*, 418
Protein adsorption
Protein function, Direct force measurements, Recognition forces, Long-range attraction, 450
Protein engineering
Protein stability, Detergents, Urea, Organic solvents, 286
Protein folding
Molecular chaperones, Heat shock proteins, Recombinant DNA, *Escherichia coli*, 730
Protein-free cell culture
Immobilization, Cell-growth protein, Cell-adhesion protein, Coimmobilization, 167
Protein function
Direct force measurements, Recognition forces, Long-range attraction, Protein adsorption
Protein fusion
Recombinant DNA, Heterologous expression, Fermentation, Polyelectrolyte, Polyethyleneimine, Precipitation, Yeast, Secretion, 593
Protein immobilization
Agarose gel, Monoamineoethyl-N-aminoethyl structures, Carboxyl coupling, β-Galactosidase, 546
Protein-membrane/interface interaction
Reverse micelles, Lipase, Kinetics, Conformation, 944
Protein penetration in alginate gels
Calcium alginate pore size, Size-exclusion chromatography, 922
Protein purification
Affinity precipitation, Cloud point, Hydrogels, Immobilized enzymes, Immunoassay, Lower critical solution temperature (LCST), Nonionic surfactants, Phase separation, Poly(*N*-isopropylacylamide), Poly(*N*-vinyl caprolactam), thermoreactive polymers, 354
Protein stability
Protein engineering, Detergents, Urea, Organic solvents, 286
Proteolysis in cheese
Accelerated cheese ripening, 519
Protoplast
Alginate lyase, *Klebsiella aerogenes*, Fermentor, 756
Protoplasts
Intracellular enzyme, Production Immobilization, 791
Novozyme, Funcelase, *E. ashbyii. T. reesei, P. chrysogenum*, 699
Pseudomonas
Lipases, Triacyglycerols, 634
Pseudomonas carrageenovora
Carrageenase, Fermentor, 326
Pseudomonas oleovorans
n-Octane, Chemostat, Poly(3-hydroxyalkanoates), High cell density, 311
Pseudomonas putida 3SK
Lipase, Isooctane, Two-phase biocatalysis, 617
Organic solvent, Two-phase system, Lipid hydrolysis, 612
Pullulan
Mutagenesis, *Pullularia pullulans*, 317
Pullularia pullulans
Mutagenesis, Pullulan, 317
Pulses
Legume seeds, Grain legumes, D-Hydantoinase, Peas, Beans, Dihydropyrimidinase, *Phaseoulus* sp., *Pisum* sp., 208
Purification
β-Glucanases, Fungal enzymes, Regulation, Properties, β-Glucans, 178
Exopolygalacturonase, Endopolygalacturonase, *Aspergillus niger*, Viscometry, 158
Fungal protoplasts, Chitinase, 412
Proteinase, *Trichoderma koningii*, Affinity chromatography, 624
Regulation, Xylanase, *Cellulomonas fimi*, 990
Streptomyces reticuli, β-Glucosidases, 127
Purification procedure
Peptide amidase, Deamidation, Substrate spectrum, 764
Pyrite oxidation
Thiobacillus spp., CO_2, Ferrous iron oxidation, 832

Quality
Tyrosinase, Protease, Phenols, *Agaricus*, Mushroom, 736

Rapamycin
Pipecolic acid, Biosynthesis, Immunosuppressant, *Streptomyces hygroscopicus*, 581
Rate of substrate consumption
Rennet, Acid protease, *Mucor miehei*, 1009
Reaction yield
Immobilized hydrolases, Poly-HEMA hydrogels, Water-organic solvent systems, Stabilization, 861
Reactor engineering
Cellulose, Cellulosic materials, Physical and chemical properties, Biocatalyst immobilization, Properties of immobilized biocatalysts, Solid phase mass transfer, 551
Recognition forces
Protein function, Direct force measurement, Long-range attraction, Protein adsorption, 450
Recombinant DNA
Heterologous expression, Protein fusion, Fermentation, Polyelectrolyte, Polyethyleneimine, Precipitation, Yeast, Secretion, 593
Iron-binding protein, Site-directed mutagenesis, T7 vectors, Western detection, 193
Molecular chaperones, Protein folding, Heat shock proteins, *Escherichia coli*, 730
Recombinant protein
Saccharomyces cerevisiae, β-Galactosidase, Fed-batch glucose concentration, 120
Recombinant proteins
FMDV, β-Galactosidase, Flow Injection Analysis (FIA), Fermentation monitoring, Gene expression, 66
Reducing equivalents
Klebsiella pneumoniae, H_2 formation, 1,3-Propanediol, Stoichiometry, Pathway analysis, Hydrogenase, 770
Reduction
Baker's yeast, Diastereoselectivity, 2-Hydroxy-2,6,6-trimethylcyclohexanase, 483
Regulation
β-Glucanases, Fungal enzymes, Purification, Properties, β-Glucans, 178
Purification, Xylanase, *Cellulomonas fimi*, 990
Trichoderma spp., *Trichoderma reesei*, Cellulases, Cellulose, Secretion, 90
Rennet
Acid protease, Rate of substrate consumption, *Mucor miehei*, 1009
Response surface methodology
Capsicum, Growth regulators, Elicitors, Immobilization, Optimization, Capsaicinoids, 710
Reversed micelles
Nonaqueous environments, Low-water organic solvents, Mushroom tyrosinase, 1030
Reverse micelle
Interesterification reaction, Palm oil midfraction, Celite-immobilized lipase, 438
Reverse micelles
α-Chymotrypsin, LADH, EPR, CD, 383
Lipase, Kinetics, Conformation, Protein-membrane/interface interaction, 944
Review
Hydrodynamic stress, Plant cell culture, Impeller-stirred bioreactor, 234
Riboflavin
Antagonistic action, 5-fluorouracil-resistant mutant, *Arthrobacter* sp., 877
Ribonuclease
Trichoderma, Isolation, 687
Rice straw
Pleurotus sajor-caju, Oil seed cake, Bioconversion, Biotransformation, Biodegradation, Cellulase, Hemicellulase, Protease, *In vitro* dry matter enzymatic digestibility, 985
Rifamycin B
Curvularia lunata, Rifamycin oxidase, Growing and resting cells, Rifamycin S, 1037
Rifamycin S
Curvularia lunata, Rifamycin oxidase, Growing and resting cells, Rifamycin B, 1037
Rifamycin oxidase
Curvularia lunata, Growing and resting cells, Rifamycin B, Rifamycin S, 1037

Saccharomyces cerevisiae
β-Glucosidase (EC 3.2.1.21), Ethanol, *Penicillium decumbens, Aspergillus niger*, Paper mill waste fiber, 62
Electrofusion, Flow cytometer, Brewer's yeast, Fusant, 959
Immobilization, Invertase, Acid phosphatase, 42
Recombinant protein, β-Galactosidase, Fed-batch glucose concentration, 120
Industrial yeast, Amino acid analog, Transformation, Dominant gene, Selective marker, 874
Safranal
Picrocrocin, β-Glucosidase, Packed-bed reactor, 780
Schizophyllum commune
Xylanase, Central composite design, Medium optimization, 854

SCL graph
Steady states, Multiplicity, Model discrimination, 162
Secondary metabolism
Curve fitting, Antibiotics, Continuous culture, 657
Screening *Enterobacter agglomerans*, Microbial polysaccharide, Maple sap, Agitation rate, Effect of carbon, Effect of nitrogen, 500
Secretion
Recombinant DNA, Heterologous expression, Protein fusion, Fermentation, Polyelectrolyte, Polyethyleneimine, Precipitation, Yeast, 593
Trichoderma spp., *Trichoderma reesei*, Cellulases, Cellulose, Regulation, 90
Selective marker
Saccharomyces cerevisiae, Industrial yeast, Amino acid analog, Transformation, Dominant gene, 874
Series-type mechanism
Papain, Enzyme stability, Polyols, Enzyme deactivation, 868
Shear stress
Mammalian cells, Adherent, Cholesterol, 849
Site-directed mutagenesis
Iron-binding protein, Recombinant DNA, T7 vectors, Western detection, 193
Site-specific immobilization
Catalytic antibodies, Immobilized antibodies, EPR spectroscopy, 916
Size-exclusion chromatography
Calcium alginate pore size, Protein penetration in alginate gels, 922
Sodium potassium tartarate
Ethanol, Yeast, EDTA, Potassium ferrocyanide, 887
Solanum eleagnifolium Cav.
Immobilized cells, Solasodine production, Elicitation, 1074
Solasodine production
Solanum eleagnifolium Cav., Immobilized cells, Elicitation, 1074
Solid adsorbent
XAD-7, *Tagetes patula*, Thiophenes, Elicitor, *Aspergillus niger*, Excretion, 670
Solid phase mass transfer
Cellulose, Cellulosic materials, Physical and chemical properties, Biocatalyst immobilization, Properties of immobilized biocatalysts, Reactor engineering, 551
Solid-state cultivation
Myrothecium verrucana, Xylans, Xylanase, Low molecular weight, 535
Solid-state culture
Thermomyces lanuginosus, Xylanase, Central composite design, Medium optimization, Submerged culture, 677
Solid-state fermentation
Aspergillus niger, Improved strains, Pectinases, Water activity, Coffee pulp, 254
Pleurotus ostreatus, Lignin degradation, Perlite, Mineralization, 785
Solvent selection
Biocompatibility, Extractive biocatalysis, Log P, 114
Solvent treatment
β-D-Galactosidase, *Kluyveromyces*, Intracellular enzyme extration, 1063
Soybean lipoxygenase
Triglycerides, 842
Space
Bioprocessing, Digestible energy, Hydrolysis, Fermentation, Hydroponic crops, Harvest index, 899
Spent sulfite liquor
Xylose isomerase, Xylulose, *Lactobacillus brevis*, Immobilization, 321
Stability
Cytochrome, Organic solvents, 936
Stabilization
Immobilized hydrolases, Poly-HEMA hydrogels, Water-organic solvent systems, Reaction yield, 861
Nitrile hydratase, *n*-Butyric acid, High-quality acrylamide, Bench-scale reactor, 979
Steady states
SCL graph, Multiplicity, Model discrimination, 162
Steam explosion
Eucalyptus viminalis, Cellulose hydrolysis, Adsorption, Cellulase recycling, End-product inhibition, 19
Steam pretreatment
Cellulose hydrolysis, Fragmentation, Degree of polymerization, Crystallinity, 821
Stereochemical control
Yeast reduction, Allyl bromide, Enzyme inhibitor, Ethyl(S)-3-hydroxypentanoate, 222
Stereoselective
Microbial reduction, 3,5-Dioxo-6-(benzyloxy) hexanoic acid, Ethyl ester, HMG-CoA reductase inhibitor synthon, 1014
Stoichiometry *Klebsiella pneumoniae*, H_2 formation, Reducing equivalents, 1,3-propanediol, Pathway analysis, Hydrogenase, 770
Streptomyces
Glucose/xylose isomerase, Subunit dissociation, Inactive dimer, 155
Streptomyces hygroscopicus
Rapamycin, Pipecolic acid, Biosynthesis, Immunosuppressant, 581
Streptomyces reticuli
β-Glucosidases, Purification, 127
Submerged culture
Thermomyces lanuginosus, Xylanase, Central composite design, Medium optimization, Solid-state culture, 677
Substrate inhibition
Effectiveness factor, Mixed culture, Wastewater treatment, 144
Substrate spectrum
Peptide amidase, Deamidation, Purification procedure, 764
Subtilisin
Casein, Enzymic hydrolysis, Trypsin, α-Chymotrypsin, Bitterness, 974
Enzymes, Organic solvents, Mechanism, Microscopic rate constants, Active site titration, 1022
Subunit dissociation
Glucose/xylose isomerase, *Streptomyces*, Inactive dimer, 155
Sucrose
Agar, Dextran, Diffusivity, Partition coefficient, 1057
Sugar cane bagasse Xylanase, *P. janthinellum*, 248
Sulfides
Cytochrome *c*, Thiophenes, Enzymatic oxidation, 494
Supercritical carbon dioxide
Enzymatic transesterification, Geraniol, Thermal stability, Lipase, Organic solvent, 691
Synthetic supports
Enzyme immobilization, Endonucleases, Nylon, Polystyrene, 215

T7 vectors
Iron-binding protein, Recombinant DNA, Site-directed mutagenesis, Western detection, 193
Tagatose
Galactose, Glucose isomerase, L-Arabinose-ketol-isomerase, *Lactobacillus gayonii*, 105
Tagetes patula
XAD-7, Thiophenes, Solid adsorbent, Elicitor, *Aspergillus niger*, Excretion, 670
Temperature-sensitive hydrogel
Poly(*N*-isopropylacrylamide), Immobilized enzyme, β-Galactosidase, Thermal cycling operation, 476
Thermal cycling operation
Poly(*N*-isopropylacrylamide), Immobilized enzyme, β-Galactosidase, Temperature-sensitive hydrogel, 476
Thermal stability
Supercritical carbon dioxide, Enzymatic transesterification, Geraniol, Lipase, Organic solvent, 691
Thermomyces lanuginosus
Xylanase, Central Composite design, Medium optimization, Solid-state culture, Submerged culture, 677
Thermophiles
β-Glucosidase, *Clostridium thermocellum*, bg1B, Cellulase, Anaerobic bacteria, 393
Thermophilic
UASB reactor, Acetate degrading, Granulation, Magnesium, 304
Thermoreactive polymers
Affinity precipitation, Cloud point, Hydrogels, Immobilized enzymes, Immunoassay, Lower critical solution temperature (LCST), Nonionic surfactants, Phase separation, Poly(*N*-isopropylacylamide), Poly(*N*-vinyl caprolactam), Protein purificaton, 354
Thiobacillus spp.
CO2, Ferrous iron oxidation, Pyrite oxidation, 832
Thiophenes
Cytochrome *c*, Sulfides, Enzymatic oxidation, 494
XAD-7, *Tagetes patula*, Solid adsorbent, Elicitor, *Aspergillus niger*, Excretion, 670
Tomato waste
Anaerobic microbial digestion, Hydrolytic enzymes, 339
Transesterification
Lipase, Catalysis, Enantiomerically pure compounds, 367
Lipases, Immunobilization, Esterification, 133
Transformation
Saccharomyces cerevisiae, Industrial

yeast, Amino acid analog, Dominant gene, Selective marker, 874
T. reesei
Cellulases, Production, Lactose, Batch and continuous cultures, 513
Protoplasts, Novozyme, Funcelase, *E. ashbyii*. *P. chrysogenum*, 699
Triacylglycerols
Pseudomonas, Lipases, 634
Trichoderma
Ribonuclease, Isolation, 687
Trichoderma koningii
Proteinase, Purification, Affinity chromatography, 624
Trichoderma longibrachiatum
Endoglucanase, Cellulase mechanism, 57
Trichoderma reesei
Immobilization, Irradiation technique, Adhesion, Hydrophilicity, 300
Trichoderma spp., Cellulases, Cellulose, Regulation, Secretion, 90
Trichoderma spp.
Trichoderma reesei, Cellulases, Cellulose, Regulation, Secretion, 90
Triginopsis variabilis
D-Amino acid oxidase, Catalase, Bioreactor design, 7-ACA, Ceph C, 281
Trigonopsis variabilis
Enzyme thermistor, Cephalosporin transformation, Immobilized cells, Calcium pectate gel beads, Intrinsic kinetics, Effectiveness factor, 50
Triglycerides
Soybean lipoxygenase, 842
Trimethylene glycol
Immobilization, Macroporous polystyrene polymers, *Citrobacter freundii*, 109
Trypsin
Casein, Enzymic hydrolysis, α-Chymotrypsin, Subtilisin, Bitterness, 974
Two-liquid-phase
Bioreactor, Loop reactor, Organic solvent, Oxygen transfer, 722
Two-phase biocatalysis
Pseudomonas putida 3SK, Lipase, Isooctane, 617
Two-phase system
Pseudomonas putida 3SK, Organic solvent, Lipid hydrolysis, 612
Tyrosinase
Protease, Phenols, Quality, *Agaricus*, Mushroom, 736

UASB reactor
Thermophilic, Acetate degrading, Granulation, Magnesium, 304
Urea
Protein stability, Protein engineering, Detergents, Organic solvents, 286

Viscometry
Exopolygalacturonase, Endopolygalacturonase, *Aspergillus niger*, Purification, 158

Wastewater treatment
Effectiveness factor, Substrate inhibition, Mixed culture, 144
Water activity
Aspergillus niger, Improved strains, Pectinases, Solid-state fermentation, Coffee pulp, 254
Water-miscible solvents
Catalytic parameters, Glucoamylase, Invertase, Denaturation, 33
Water-organic solvent systems
Immobilized hydrolases, Poly-HEMA hydrogels, Stabilization, Reaction yield, 861
Western detection Iron-binding protein, Recombinant DNA, Site-directed mutagenesis, T7 vectors, 193
Whey hydrolysis
Proteinases, Alcalase, peptides, *Kluyveromyces marxianus*, 418
White-rot fungus
Lignin peroxidase, Laccase, Manganese peroxidase, Isoenzymes, Enzyme purification, 664

XAD-7
Tagetes patula, Thiophenes, Solid adsorbent, Elicitor, *Aspergillus niger*, Excretion, 670
Xylans
Myrothecium verrucaria, Solid-state cultivation, Xylanase, Low molecular weight, 535
Xylan solubility
Mesophilic streptomycete, Acetinomycete xylanases, Xylanase isoenzymes, 13
Xylanase
Myrothecium verrucaria, Solid-state cultivation, Xylans, Low molecular weight, 535
Regulation, Purification, *Cellulomonas fimi*, 990
Sugar cane bagasse, *P. janthinellum*, 248
Schizophyllum commune, Central composite design, Medium optimization, 854
Xylanase cloning
Alkalophilic-thermophilic *Bacillus*, Homologous gene expression, Xylanase-negative mutant, Electroporation, 343
Xylanase (EC 3.2.1.8)
Aspergillus sydowii, β-xylosidase (EC 3.2.1.37), 703
Xylanase isoenzymes Mesophilic streptomycete, Actinomycete xylanases, Xylan solubility, 13
Xylanase-negative mutant
Xylanase cloning, Alkalophilic-thermophilic *Bacillus*, Homologous gene expression, Electroporation, 343
Xylan degradation
Acetyl xylan esterase, Ferulic acid esterase, *p*-Coumaric acid esterase, Production, Properties, Applications, 450
Xylose isomerase
Xylulose, Lactobacillus brevis, Immobilization, Spent sulfite liquor, 321
Xylulose
Xylose isomerase, Lactobacillus brevis, Immobilization, Spent sulfite liquor, 321

Yeast
Citric acid, Organic acid, Candida lipolytica, 646
Ethanol, EDTA, Potassium ferrocyanide, Sodium potassium tartarate, 887
Fermentation, Polyelectrolyte, Polyethyleneimine, Precipitation, Secretion, 593
Yeast reduction
Allyl bromide, Enzyme inhibitor, Stereochemical control, Ethyl(S)-3- hydroxypentanoate, 222